



# **CATALOGUE 2025**

# 8 colour families

includes our unique colour palette: Quiet Neutrals, Warm Naturals, Living Greens, Elemental Blues, Soothing Pastels, Elegant Darks, Energetic Brights, Primary Play

# 2 founders

Sven Erni and Jeffrey Ibañez

# 25 nationalities

# 100% social

Products of IMPACT ACOUSTIC® prove to be a great tool for companies that take corporate social responsibility seriously.

# 25 million

PET bottles are recycled annually and used for manufacturing of our products.

# 36 colours

created for our unique ARCHISONIC® Felt material. Each with a story to tell.

## Index

4	Acoustic Ceilings
40	Acoustic Lighting
58	Acoustic Walls
88	Acoustic Room Dividers
112	Acoustic Curtain System
116	Acoustic Shading
120	Acoustic Desk Dividers
132	Acoustic Accessories
140	Soundproof Chatpods
150	ARCHISONIC® Felt
164	ARCHISONIC® Riftcut
172	ARCHISONIC® Textile
180	ARCHISONIC® Cotton
194	ARCHISONIC® Mycelium

### Legal notice

All prices are exclusive of VAT. With the publication of this price list, all previously published prices lose their validity. Prices and delivery options are subject to change. No liability is assumed for printing errors. We reserve the right to make technical and formal changes to all products shown and described in our sales documents.

# Acoustic *Ceilings*

Transform your ceiling into a soundproofing piece of art with acoustic ceiling designs. Our standard and bespoke solutions help you beat acoustic challenges in a creative and effective way, ultimately improving the acoustic comfort and well-being of teams. Let's talk about your unique design ideas.



# Ceiling Baffle Straight Modular




Augmented Reality



Article no.	Product type	Dimension	Information
712.24.10.000.00	Ceiling Baffle Straight Modular	1800 x 1800 x 280mm	incl. suspension kit

# Ceiling Baffle Edge Modular




Augmented Reality



Article no.	Product type	Dimension	Information
712.24.11.000.00	Ceiling Baffle Edge Modular	1800 x 1800 x 300mm	incl. suspension kit

## Ceiling Baffle Wave Modular




Augmented Reality



Article no.	Product type	Dimension	Information
712.24.12.000.00	Ceiling Baffle Wave Modular	1800 x 1800 x 350mm	incl. suspension kit

## Ceiling Baffle Peak Modular




Augmented Reality



Article no.	Product type	Dimension	Information
712.24.13.000.00	Ceiling Baffle Peak Modular	1800 x 1800 x 340mm	incl. suspension kit

# Ceiling Baffle Nebula Modular



Augmented Reality




Article no.	Product type	Dimension	Information
712.24.14.000.00	Ceiling Baffle Nebula Modular	D1060 x 285mm	incl. suspension kit
712.24.15.000.00	Ceiling Baffle Nebula Modular	D1535 x 260mm	incl. suspension kit

# Wave Modular



## Ceiling Baffle Straight Bespoke




Augmented Reality



Article no.	Product type	Dimension	Information
713.24.34.000.00	Ceiling Baffle Straight Bespoke Design	H200, 300mm distance between baffles	incl. 1 design revision incl. suspension profiles
713.24.14.000.00	Ceiling Baffle Straight Bespoke Design	H200, 200mm distance between baffles	incl. 1 design revision incl. suspension profiles
713.24.44.000.00	Ceiling Baffle Straight Bespoke Design	H200, 100mm distance between baffles	incl. 1 design revision incl. suspension profiles
713.24.35.000.00	Ceiling Baffle Straight Bespoke Design	H300, 300mm distance between baffles	incl. 1 design revision incl. suspension profiles
713.24.15.000.00	Ceiling Baffle Straight Bespoke Design	H300, 200mm distance between baffles	incl. 1 design revision incl. suspension profiles
713.24.45.000.00	Ceiling Baffle Straight Bespoke Design	H300, 100mm distance between baffles	incl. 1 design revision incl. suspension profiles
713.24.51.000.00	Ceiling Baffle Straight Bespoke Design	H200, 300mm distance between baffles ARCHISONIC® Riftcut NC	incl. 1 design revision incl. suspension profiles
713.24.52.000.00	Ceiling Baffle Straight Bespoke Design	H200, 200mm distance between baffles ARCHISONIC® Riftcut NC	incl. 1 design revision incl. suspension profiles
713.24.53.000.00	Ceiling Baffle Straight Bespoke Design	H200, 100mm distance between baffles ARCHISONIC® Riftcut NC	incl. 1 design revision incl. suspension profiles
713.24.54.000.00	Ceiling Baffle Straight Bespoke Design	H300, 300mm distance between baffles ARCHISONIC® Riftcut NC	incl. 1 design revision incl. suspension profiles

## Accessory Eclipse Baffle Luminaire



Article no.	Product type	Dimension	Information
713.24.55.000.00	Ceiling Baffle Straight Bespoke Design	H300, 200mm distance between baffles ARCHISONIC® Riftcut	incl. 1 design revision incl. suspension profiles
713.24.56.000.00	Ceiling Baffle Straight Bespoke Design	H300, 100mm distance between baffles ARCHISONIC® Riftcut	incl. 1 design revision incl. suspension profiles
LUM.01.00014.40.O.22-24	Eclipse Baffle Luminaire	D75mm, H150mm	Direct / indirect Lighting incl. mounting plate and 2m cable with plug 2700K - 4000K



Voltage	220 - 240 V
Dimming	Not dimmable
Light calculation:	Direct/Indirect
FWHM / beam angle	56°
Total power	9 W
Power loss (ECG)	0.8W
Luminus flux of the luminaire	945 lm
Luminus flux of the light source	1326 lm
Colour temperature (CCT)	<div style="display: flex; gap: 5px;"> <div style="background-color: #f96; border-radius: 50%; width: 15px; height: 15px; display: flex; align-items: center; justify-content: center; font-size: 8px;">2700K*</div> <div style="background-color: #fde725; border-radius: 50%; width: 15px; height: 15px; display: flex; align-items: center; justify-content: center; font-size: 8px;">3000K*</div> <div style="background-color: #fff176; border-radius: 50%; width: 15px; height: 15px; display: flex; align-items: center; justify-content: center; font-size: 8px;">3500K*</div> <div style="background-color: #c8e6c9; border-radius: 50%; width: 15px; height: 15px; display: flex; align-items: center; justify-content: center; font-size: 8px;">4000K</div> </div> <small>*on request</small>
Colour rendering index (CRI)	80
MacAdam	3
Colour	Black

## Ceiling Baffle Edge Bespoke




Augmented Reality



Article no.	Product type	Dimension	Information
713.24.10.000.00	Ceiling Baffle Edge Bespoke Design	H150-250, 200mm distance between baffles	incl. 1 design revision incl. suspension profiles
713.24.30.000.00	Ceiling Baffle Edge Bespoke Design	H150-250, 300mm distance between baffles	incl. 1 design revision incl. suspension profiles
713.24.57.000.00	Ceiling Baffle Edge Bespoke Design	H150-250, 200mm distance between baffles ARCHISONIC® Riftcut NC	incl. 1 design revision incl. suspension profiles
713.24.58.000.00	Ceiling Baffle Edge Bespoke Design	H150-250, 300mm distance between baffles ARCHISONIC® Riftcut NC	incl. 1 design revision incl. suspension profiles
LUM.01.00014.40.O.22-24	Eclipse Baffle Luminaire	D75mm, H150mm	Direct / indirect Lighting incl. mounting plate and 2m cable with plug 2700K - 4000K

## Ceiling Baffle Wave Sine Bespoke




Augmented Reality



Article no.	Product type	Dimension	Information
713.24.11.000.00	Ceiling Baffle Wave Sine Bespoke Design	H150-250, 200mm distance between baffles	incl. 1 design revision incl. suspension profiles
713.24.31.000.00	Ceiling Baffle Wave Sine Bespoke Design	H150-250, 300mm distance between baffles	incl. 1 design revision incl. suspension profiles
713.24.59.000.00	Ceiling Baffle Wave Sine Bespoke Design	H150-250, 200mm distance between baffles ARCHISONIC® Riftcut NC	incl. 1 design revision incl. suspension profiles
713.24.60.000.00	Ceiling Baffle Wave Sine Bespoke Design	H150-250, 300mm distance between baffles ARCHISONIC® Riftcut NC	incl. 1 design revision incl. suspension profiles
LUM.01.00014.40.O.22-24	Eclipse Baffle Luminaire	D75mm, H150mm	Direct / indirect Lighting incl. mounting plate and 2m cable with plug 2700K - 4000K

## Ceiling Baffle Wave Ripple Bespoke




Augmented Reality



Article no.	Product type	Dimension	Information
713.24.12.000.00	Ceiling Baffle Wave Ripple Bespoke Design	H150-250, 200mm distance between baffles	incl. 1 design revision incl. suspension profiles
713.24.32.000.00	Ceiling Baffle Wave Ripple Bespoke Design	H150-250, 300mm distance between baffles	incl. 1 design revision incl. suspension profiles
713.24.63.000.00	Ceiling Baffle Wave Ripple Bespoke Design	H150-250, 200mm distance between baffles ARCHISONIC® Riftcut NC	incl. 1 design revision incl. suspension profiles
713.24.64.000.00	Ceiling Baffle Wave Ripple Bespoke Design	H150-250, 300mm distance between baffles ARCHISONIC® Riftcut NC	incl. 1 design revision incl. suspension profiles
LUM.01.00014.40.O.22-24	Eclipse Baffle Luminaire	D75mm, H150mm	Direct / indirect Lighting incl. mounting plate and 2m cable with plug 2700K - 4000K

## Ceiling Baffle Wave Morph Bespoke



Augmented Reality



Article no.	Product type	Dimension	Information
713.24.13.000.00	Ceiling Baffle Wave Morph Bespoke Design	H150-250, 200mm distance between baffles	incl. 1 design revision incl. suspension profiles
713.24.33.000.00	Ceiling Baffle Wave Morph Bespoke Design	H150-250, 300mm distance between baffles	incl. 1 design revision incl. suspension profiles
713.24.61.000.00	Ceiling Baffle Wave Morph Bespoke Design	H150-250, 200mm distance between baffles ARCHISONIC® Riftcut NC	incl. 1 design revision incl. suspension profiles
713.24.62.000.00	Ceiling Baffle Wave Morph Bespoke Design	H150-250, 300mm distance between baffles ARCHISONIC® Riftcut NC	incl. 1 design revision incl. suspension profiles
LUM.01.00014.40.O.22-24	Eclipse Baffle Luminaire	D75mm, H150mm	Direct / indirect Lighting incl. mounting plate and 2m cable with plug 2700K - 4000K

# Ceiling Baffle Balken\*



Augmented Reality




Balken Light


Article no.	Product type	Dimension	Information
716.12.10.000.00	Balken S ARCHISONIC® Felt	1400 x 80 x 77mm	Set of 8 units
716.12.11.000.00	Balken M ARCHISONIC® Felt	1400 x 80 x 127mm	Set of 6 units
716.12.12.000.00	Balken L ARCHISONIC® Felt	1400 x 80 x 227mm	Set of 4 units
716.12.20.000.00	Balken SL ARCHISONIC® Felt	2800 x 80 x 77mm	Set of 4 units
716.12.21.000.00	Balken ML ARCHISONIC® Felt	2800 x 80 x 127mm	Set of 3 units
716.12.22.000.00	Balken LL ARCHISONIC® Felt	2800 x 80 x 227mm	Set of 2 units
716.12.13.000.00	Balken S ARCHISONIC® Riftcut	1400 x 80 x 77mm	Set of 8 units
716.12.14.000.00	Balken M ARCHISONIC® Riftcut	1400 x 80 x 127mm	Set of 6 units
716.12.15.000.00	Balken L ARCHISONIC® Riftcut	1400 x 80 x 227mm	Set of 4 units
716.12.23.000.00	Balken SL ARCHISONIC® Riftcut	2800 x 80 x 77mm	Set of 4 units
716.12.24.000.00	Balken ML ARCHISONIC® Riftcut	2800 x 80 x 127mm	Set of 3 units
716.12.25.000.00	Balken LL ARCHISONIC® Riftcut	2800 x 80 x 227mm	Set of 2 units

\*Available upon request in custom colors (NCS)

Article no.	Product type	Information
716.10.10.000.00	Cable gripper for Balken	incl. bottom phillips head screw Set of 2 pcs
716.10.20.000.00	Felt Fix	incl. PH2 had screw M4 x 35mm Set of 2 pcs
716.10.30.000.00	T-grid twist clip	incl. washer plate 10 x 4 mm female thread Set of 2 pcs
716.10.40.000.00	Pot Magnet for Balken with threaded Stud	incl. Pot Magnet D-20mm (GTN-20) Set of 2 pcs



## Ceiling Baffle Fusion




Augmented Reality



Article no.	Product type	Dimension	Information
713.12.46.000.00	Ceiling Baffle Fusion Bespoke Design, 2 Colours	H125-295, 100mm distance between baffles	incl. 1 design revision incl. hanging profiles
713.12.47.000.00	Ceiling Baffle Fusion Bespoke Design, 2 Colours	H125-295, 200mm distance between baffles	incl. 1 design revision incl. hanging profiles
713.12.48.000.00	Ceiling Baffle Fusion Bespoke Design, 3 Colours	H125-295, 100mm distance between baffles	incl. 1 design revision incl. hanging profiles
713.12.49.000.00	Ceiling Baffle Fusion Bespoke Design, 3 Colours	H125-295, 200mm distance between baffles	incl. 1 design revision incl. hanging profiles

## Ceiling System Grid Bespoke




Augmented Reality



Article no.	Product type	Dimension	Information
715.24.10.000.80	Ceiling System Grid Bespoke Design	H200mm, Grid 400x400mm	incl. 1 design revision incl. suspension profiles
715.24.11.000.80	Ceiling System Grid Bespoke Design	H200mm, Grid 400x400mm	incl. 1 design revision incl. suspension profiles incl. preparation for inlay (12mm)
715.24.20.000.80	Ceiling System Grid Bespoke Design	H200mm, Grid 600x600mm	incl. 1 design revision incl. suspension profiles
715.24.21.000.80	Ceiling System Grid Bespoke Design	H200mm, Grid 600x600mm	incl. 1 design revision incl. suspension profiles incl. preparation for inlay (12mm)
715.12.10.000.00	Inlay panel integration	12mm, for Grid 400x400mm	Price per piece
715.12.20.000.00	Inlay panel integration	12mm, for Grid 600x600mm	Price per piece
LUM.01.00011.00	Focus 4 light integration	D30mm	4 spots (1 Primary and 3 Secondary)/ Incl. wiring/ 2700k - 4000k

## Ceiling Tile Plaid




Augmented Reality



Article no.	Produkttype	Dimension	Information
718.10.00.000.00	Plaid 1 Ceiling Tile	600 x 600 x 150mm	incl. 1 design revision
718.11.00.000.00	Plaid 2 Ceiling Tile	600 x 600 x 150mm	incl. 1 design revision
718.12.00.000.00	Plaid 3 Ceiling Tile	600 x 600 x 150mm	incl. 1 design revision
718.13.00.000.00	Plaid 4 Ceiling Tile	600 x 600 x 150mm	incl. 1 design revision
718.14.00.000.00	Plaid 5 Ceiling Tile	600 x 600 x 150mm	incl. 1 design revision
718.15.00.000.00	Plaid 6 Ceiling Tile	600 x 600 x 150mm	incl. 1 design revision
718.16.00.000.00	Plaid 7 Ceiling Tile	600 x 600 x 150mm	incl. 1 design revision
718.17.00.000.00	Plaid 8 Ceiling Tile	600 x 600 x 150mm	incl. 1 design revision
718.19.00.000.00	Plaid Infill Ceiling Tile	600 x 600 x 150mm	incl. 1 design revision

## Accessories Plaid



Article no.	Produkttype	Dimension	Information
718.00.10.000.00	CUBE Primary	75 x 75 x 150mm	2700k, 3000k, 3500k, or 4000k
718.00.11.000.00	CUBE Secondary (up to 25)	75 x 75 x 150mm	2700k, 3000k, 3500k, or 4000k

### PROLICHT

Voltage	220 - 240 V
Dimming	DALI
Light distribution	direct (55°)
Total power	10 W
Luminous flux of the luminaire	1014 lm
Luminous flux of the light source	877 lm
Colour temperature (CCT)	<div style="display: flex; gap: 5px;"> <div style="background-color: #f96; border-radius: 50%; padding: 2px 5px;">2700K*</div> <div style="background-color: #ff9; border-radius: 50%; padding: 2px 5px;">3000K*</div> <div style="background-color: #ffcc; border-radius: 50%; padding: 2px 5px;">3500K*</div> <div style="background-color: #c9f9; border-radius: 50%; padding: 2px 5px;">4000K</div> </div> <small>*on request</small>
Colour rendering index (CRI)	90
Colour consistency	SDCM 3
Ingress protection	IP20 (protection class 1)
Life span	>50'000 h (L70 B50)
Colour	black

## Ceiling Panel Rectangle, Square




Augmented Reality



Article no.	Product type	Dimension	Information
711.24.10.000.00	Ceiling Panel Square	1200 x 1200 x 24mm	incl. suspension kit
711.24.11.000.00	Ceiling Panel Square	1800 x 1800 x 24mm	incl. suspension kit
711.24.12.000.00	Ceiling Panel Rectangle	600 x 1200 x 24mm	incl. suspension kit
711.24.13.000.00	Ceiling Panel Rectangle	600 x 1800 x 24mm	incl. suspension kit
711.24.14.000.00	Ceiling Panel Rectangle	1200 x 1800 x 24mm	incl. suspension kit
711.24.15.000.00	Ceiling Panel Rectangle	1200 x 2400 x 75mm	incl. suspension kit
711.24.16.000.00	Ceiling Panel Rectangle	1800 x 2400 x 75mm	incl. suspension kit

## Ceiling Panel Rectangle Web




Augmented Reality



Article no.	Product type	Dimension	Information
711.24.14.000.10	Ceiling Panel Rectangle Web	1200 x 1800 x 24mm	Web perforation / incl. suspension kit

# Ceiling Panel Rectangle Bubbles



Augmented Reality



Article no.	Product type	Dimension	Information
711.24.14.000.12	Ceiling Panel Rectangle Bubbles	1200 x 1800 x 24mm	Bubbles Perforation / incl. suspension kit

# Ceiling Panel Round



Augmented Reality



Article no.	Product type	Dimension	Information
711.24.25.000.00	Ceiling Panel Round	D800 x 24mm	incl. suspension kit
711.24.17.000.00	Ceiling Panel Round	D1200 x 24mm	incl. suspension kit
711.24.18.000.00	Ceiling Panel Round	D1800 x 24mm	incl. suspension kit

# Ceiling Panel Round Vertigo Fine




Augmented Reality



Article no.	Product type	Dimension	Information
711.24.28.000.00	Ceiling Panel Round Vertigo Fine	D800 x 24mm	V-Cut 6mm, incl. suspension kit
711.24.30.000.00	Ceiling Panel Round Vertigo Fine	D1200 x 24mm	V-Cut 6mm, incl. suspension kit
711.24.29.000.00	Ceiling Panel Round Vertigo Fine	D1800 x 24mm	V-Cut 6mm, incl. suspension kit

# Ceiling Panel Round Web




Augmented Reality



Article no.	Product type	Dimension	Information
711.24.17.000.10	Ceiling Panel Round Web	D1200 x 24mm	Web perforation / incl. suspension kit
711.24.18.000.10	Ceiling Panel Round Web	D1800 x 24mm	Web perforation / incl. suspension kit

## Ceiling Panel Round Bubbles



Augmented Reality



Article no.	Product type	Dimension	Information
711.24.17.000.12	Ceiling Panel Round Bubbles	D1200 x 24mm	Bubbles perforation / incl. suspension kit
711.24.18.000.12	Ceiling Panel Round Bubbles	D1800 x 24mm	Bubbles perforation / incl. suspension kit

## Ceiling Panel Stone



Augmented Reality



Article no.	Product type	Dimension	Information
711.24.19.000.00	Ceiling Panel Stone	954-1530 x 820-971 x 24mm	Set with 4 pcs., same colours incl. suspension kit

## Ceiling Panel Forest



Augmented Reality



Article no.	Product type	Dimension	Information
711.24.20.000.00	Ceiling Panel Forest	D1200 x 24mm	incl. suspension kit
711.24.21.000.00	Ceiling Panel Forest	D1800 x 24mm	incl. suspension kit

## Ceiling Panel Vela




Augmented Reality



Article no.	Product type	Dimension	Information
711.24.22.000.00	Ceiling Panel Vela	1x 1790 x 890mm, 1x 1800x600mm, 2x D890x24mm	Set with 4 pcs., same colours incl. suspension kit

## Ceiling Panel Jungle




Augmented Reality



Article no.	Product type	Dimension	Information
711.24.26.000.00	Ceiling Panel Jungle	D1200 x 24mm	incl. suspension kit
711.24.27.000.00	Ceiling Panel Jungle	D1800 x 24mm	incl. suspension kit

## Ceiling Panel System Bespoke Piet



Augmented Reality



Article no.	Product type	Dimension	Information
714.24.11.000.00	Piet Ceiling Panel-System Straight Edge	Bespoke, 24mm	incl. 1 design revision / incl. suspension system / multiple colours possible
714.24.12.000.00	Piet Ceiling Panel-System Fillet Edge	Bespoke, 24mm	incl. 1 design revision / incl. suspension system / multiple colours possible
714.24.13.000.00	Piet Ceiling Panel-System Chamfer Edge	Bespoke, 24mm	incl. 1 design revision / incl. suspension system / multiple colours possible

## Ceiling Panels Track



Augmented Reality



## Ceiling Panels Plateau



Augmented Reality




Article no.	Product type	Dimension	Information
717.12.10.000.00	Ceiling panel ARCHISONIC® Felt standard edge treatment	1200 x 2800 x 40mm	incl. installation kit
717.12.11.000.00	Ceiling panel ARCHISONIC® Felt Flip-Edge treatment	1200 x 2800 x 40mm	incl. installation kit
717.12.12.000.00	Ceiling panel ARCHISONIC® Riftcut standard edge treatment	1200 x 2800 x 40mm	incl. installation kit
717.12.13.000.00	Ceiling panel ARCHISONIC® Riftcut Flip-Edge treatment	1200 x 2800 x 40mm	incl. installation kit

Article no.	Product type	Dimension	Information
714.24.10.000.00	Ceiling Panels Plateau Bespoke Design	individual, 24mm	incl. 1 design revision / suspension kit, multiple colours possible
LUM.01.00011.00	Focus 4 light integration	D30mm	4 spots (1 Primary and 3 Secondary) / Incl. wiring / 2700k - 4000k

### PROLICHT

Voltage	220 - 240 V
Dimming	DALI
Light distribution	direct (66°)
Total power	26.5 W (set of 4)
Luminous flux of the luminaire	2880 lm
UGR	< 16
Colour temperature (CCT)	<span style="background-color: #f96; border-radius: 50%; padding: 2px;">2700K*</span> <span style="background-color: #fde725; border-radius: 50%; padding: 2px;">3000K*</span> <span style="background-color: #fff176; border-radius: 50%; padding: 2px;">3500K*</span> <span style="background-color: #c8e6c9; border-radius: 50%; padding: 2px;">4000K</span>
	<small>*on request</small>
Colour rendering index (CRI)	90
Colour consistency	SDCM 3
Ingress protection	IP20 (protection class 1)
Life span	>50'000 h (L70 B50)
Case colour	black



# Ceiling Panels

## Alto




Augmented Reality



Article no.	Product type	Dimension	Information
711.24.31.000.00	Ceiling panel Alto	1200 x 1800 x 24mm	incl. installation kit
711.24.32.000.00	Ceiling panel Alto - Vertigo Fine	1200 x 1800 x 24mm	incl. installation kit
LUM.01.00011.00	Focus 4 light integration	D30mm	4 spots (1 Primary and 3 Secondary) / 2700k - 4000k




Voltage	220 - 240 V
Dimming	DALI
Light distribution	direct (66°)
Total power	26.5 W (set of 4)
Luminous flux of the luminaire	2880 lm
UGR	< 16
Colour temperature (CCT)	<div style="display: flex; gap: 5px;"> <span style="background-color: #f96; border-radius: 50%; padding: 2px;">2700K*</span> <span style="background-color: #fde725; border-radius: 50%; padding: 2px;">3000K*</span> <span style="background-color: #fff176; border-radius: 50%; padding: 2px;">3500K*</span> <span style="background-color: #c8e6c9; border-radius: 50%; padding: 2px;">4000K</span> </div> <small>*on request</small>
Colour rendering index (CRI)	90
Colour consistency	SDCM 3
Ingress protection	IP20 (protection class 1)
Life span	>50'000 h (L70 B50)
Case colour	black



# Acoustic *Lighting*

Acoustic comfort and proper lighting are some of the most important aspects of a team's health and well-being. That is why we have brought together the best lighting technologies, developed with the Austrian market leaders PROLICHT, and the best acoustic products, so you can perform at your best.


Project  
**Impact Acoustic HQ, Luzern**



# Ceiling Baffle Balken



# Accessories



Article no.	Product type	Dimension	Information
716.12.12.000.95	Balken Light L Felt	1400 x 80 x 227mm	Electrified track max 100W
716.12.22.000.95	Balken Light LL Felt	2800 x 80 x 227mm	Electrified track max 100W
716.12.15.000.95	Balken Light L Riftcut	1400 x 80 x 227mm	Electrified track max 100W
716.12.25.000.95	Balken Light LL Riftcut	2800 x 80 x 227mm	Electrified track max 100W

\*Available upon request in custom colors (NCS)

Article no.	Product type	Information
716.10.10.000.00	Cable gripper for Balken	incl. bottom phillips head screw Set of 2 pcs
716.10.30.000.00	T-grid twist clip	incl. washer plate 10 x 4 mm female thread Set of 2 pcs

Article no.	Product type	Dimension	Information
LUM.01.00001.00D	Balken Light - Spotlight	D.30 x 90mm	10W / 3000 - 4000 Kelvin
LUM.01.00003.00D	Balken Light - Darklight	112.5 x 22 x 25mm	6W / 3000 - 4000 Kelvin
LUM.01.00005.00D	Balken Light - Opal Diffusion	1200 x 22 x 25mm	8W / 3000 - 4000 Kelvin

Type	SPOTLIGHT		DARKLIGHT		OPAL DIFFUSION	
Power	10W		6W		28.8W	
Code	LUM.01.00001.30D	LUM.01.00002.40D	LUM.01.00003.30D	LUM.01.00004.40D	LUM.01.00005.30D	LUM.01.00006.40D
CCT	3000K	4000K	3000K	4000K	3000K	4000K
Lumen (Lm/W)	901	940	550	583	2861	2940
CRI	>90		95		95	
Beam Angle	36°		24°		120°	
Dimming	DALI		DALI		DALI	
Distribution						

# Acoustic Lighting Focus



Augmented Reality



Article no.	Product type	Dimension	Information
721.24.10.000.00	Acoustic luminaire Focus Reflector by Bartenbach (2 x modules asymmetric)	1800 x 2400 x 75mm	2880lm, 4000 Kelvin, UGR < 16, DALI
721.24.11.000.00	Acoustic luminaire Focus Reflector by Bartenbach (1 x module centered)	1800 x 1800 x 75mm	1440lm, 4000 Kelvin, UGR < 16, DALI


Acoustic sail with fully integrated LED technology with DALI dimming module, including substructure and suspension system.



Voltage	220 - 240 V
Dimming	DALI
Light distribution	direct (66°)
Total power	28 W
Luminous flux of the luminaire	1440 lm
Luminous flux of the light source	1900 lm
Colour temperature (CCT)	<span style="background-color: #f96; border-radius: 50%; padding: 2px;">2700K*</span> <span style="background-color: #fde725; border-radius: 50%; padding: 2px;">3000K*</span> <span style="background-color: #fff176; border-radius: 50%; padding: 2px;">3500K*</span> <span style="background-color: #c8e6c9; border-radius: 50%; padding: 2px;">4000K</span>
	<small>*on request</small>
Colour rendering index (CRI)	90
Colour consistency	SDCM 3
Ingress protection	IP20 (protection class 1)
Life span	>50'000 h (L70 B50)
Case colour	black



# Acoustic Lighting Spark



Augmented Reality




Article no.	Product type	Dimension	Information
722.12.20.000.00.00	Acoustic luminaire Spark 600 LED Disc	D600 x 400mm	1945lm, 3000K / 4000K
722.12.21.000.00.00	Acoustic luminaire Spark 800 LED Disc	D800 x 530mm	1945lm, 3000K / 4000K
722.12.22.000.00.00	Acoustic luminaire Spark 1200 LED Disc	D1200 x 650mm	4910lm, 3000K / 4000K
722.12.23.000.00.00	Acoustic luminaire Spark 1600 LED Disc	D1600 x 850mm	4910lm, 3000K / 4000K
622.12.14.000.00	Acoustic luminaire Spark 400 Retrofit (E27)	D400 x 270mm	Wattage Max 20V, Bulb not incl.
622.12.15.000.00	Acoustic luminaire Spark 600 Retrofit (E27)	D600 x 400mm	Wattage Max 20V, Bulb not incl.
622.12.16.000.00	Acoustic luminaire Spark 800 Retrofit (E27)	D800 x 530mm	Wattage Max 20V, Bulb not incl.
622.12.17.000.00	Acoustic luminaire Spark 1200 Retrofit (E27)	D1200 x 650mm	Wattage Max 20V, Bulb not incl.
622.12.18.000.00	Acoustic luminaire Spark 1600 Retrofit (E27)	D1600 x 850mm	Wattage Max 20V, Bulb not incl.

Pendant luminaire with integrated acoustic screen, including LED technology and the associated suspension system.

Voltage	220 - 240 V	Colour temperature (CCT)	<span style="background-color: #f96; border-radius: 50%; padding: 2px;">2700K*</span> <span style="background-color: #fde725; border-radius: 50%; padding: 2px;">3000K</span> <span style="background-color: #fff176; border-radius: 50%; padding: 2px;">3500K*</span> <span style="background-color: #c8e6c9; border-radius: 50%; padding: 2px;">4000K</span>
Dimming	DALI		<small>*on request</small>
Light distribution	direct	Colour rendering index (CRI)	90
Diffuser	Opal	Efficacy	72 - 92 Lumen/Watt
Total power	27 W   55 W	Ingress protection	IP20 (protection class 1)
Luminous flux of the luminaire	1945lm - 4989lm	Life span	>50'000 h (L70 B50)
Luminous flux of the light source	2850lm - 7655lm	Case colour	black

# Acoustic Lighting Umbra Long



Augmented Reality



Article no.	Product type	Dimension	Information
722.24.12.000.00	Acoustic pendant Umbra 2200	2200 x 800 x 350mm	2700lm, 4000 Kelvin
722.24.13.000.00	Acoustic pendant Umbra 2200	2200 x 800 x 530mm	2700lm, 4000 Kelvin


Pendant luminaire with integrated acoustic screen, including LED technology and the associated suspension system.

## PROLICHT

Voltage	220 - 240 V
Dimming	DALI
Light distribution	direct
Diffuser	Microprism
Total power	29 W
Luminous flux of the luminaire	2700lm
Luminous flux of the light source	4150lm

Colour temperature (CCT)	<div style="display: flex; gap: 5px;"> <span style="background-color: #f96; border-radius: 50%; padding: 2px;">2700K*</span> <span style="background-color: #fde725; border-radius: 50%; padding: 2px;">3000K*</span> <span style="background-color: #fff176; border-radius: 50%; padding: 2px;">3500K*</span> <span style="background-color: #c8e6c9; border-radius: 50%; padding: 2px;">4000K</span> </div> <small>*on request</small>
Colour rendering index (CRI)	90
Colour consistency	SDCM 3
Ingress protection	IP20 (protection class 1)
Life span	>50'000 h (L70 B50)
Case colour	black

# Acoustic Lighting Ora



Augmented Reality



Article no.	Product type	Dimension	Information
723.24.30.000.00	Acoustic luminaire Ora (1530mm linear light)	1800 x 1800 x 120mm	2700lm, 4000 Kelvin
723.24.31.000.00	Acoustic luminaire Ora (1530mm linear light)	1800 x 2400 x 120mm	2700lm, 4000 Kelvin
723.24.32.000.00	Acoustic luminaire Ora (1815mm linear light)	1800 x 2400 x 120mm	3200lm, 4000 Kelvin

Acoustic sail with fully integrated linear LED technology, including substructure and suspension system.

## PROLICHT

Voltage	220 - 240 V
Dimming	DALI
Light distribution	direct
Diffuser	Microprism
Total power	29 W (1530mm) 38 W (1815mm)
Luminous flux of the luminaire	2700lm (1530mm) 3200lm (1815mm)
Luminous flux of the light source	4150lm (1530mm) 4980lm (1815mm)

Colour temperature (CCT)	<div style="display: flex; gap: 5px;"> <span style="background-color: #f96; border-radius: 50%; padding: 2px;">2700K*</span> <span style="background-color: #fde725; border-radius: 50%; padding: 2px;">3000K*</span> <span style="background-color: #fff176; border-radius: 50%; padding: 2px;">3500K*</span> <span style="background-color: #c8e6c9; border-radius: 50%; padding: 2px;">4000K</span> </div> <small>*on request</small>
Colour rendering index (CRI)	90
Colour consistency	SDCM 3
Ingress protection	IP20 (protection class 1)
Life span	>50'000 h (L70 B50)
Case colour	black

# Acoustic Lighting Byso



Augmented Reality



Article no.	Product type	Dimension	Information
723.24.20.000.00	Acoustic luminaire Byso (1454mm linear light)	1800 x 1800 x 90mm	3061lm, 4000 Kelvin, UGR < 16 DALI
723.24.21.000.00	Acoustic luminaire Byso (1454mm linear light)	1800 x 2400 x 90mm	3061lm, 4000 Kelvin, UGR < 16 DALI
723.24.22.000.00	Acoustic luminaire Byso (1884mm linear light)	1800 x 2400 x 90mm	3980lm, 4000 Kelvin, UGR < 16, DALI

Acoustic sail with fully integrated linear LED technology, including substructure and suspension system.

## PROLICHT


Voltage	220 - 240 V
Dimmable	DALI
Light distribution	direct
Diffuser	Rico reflector
Total power	31 W (1454mm) 41 W (1884mm)
Luminous flux of the luminaire	3061lm (1454mm) 3980lm (1884mm)
Luminous flux of the light source	4488lm (1454mm) 5835lm (1884mm)

Colour temperature (CCT)	<div style="display: flex; gap: 5px;"> <span style="background-color: #f96; border-radius: 50%; padding: 2px;">2700K*</span> <span style="background-color: #fde725; border-radius: 50%; padding: 2px;">3000K*</span> <span style="background-color: #fff9c4; border-radius: 50%; padding: 2px;">3500K*</span> <span style="background-color: #e0e0e0; border-radius: 50%; padding: 2px;">4000K</span> </div> <small>*on request</small>
Colour rendering index (CRI)	90
Colour consistency	SDCM 3
Ingress protection	IP20 (protection class 1)
Life span	>50'000 h (L70 B50)
Case colour	black

# Spark



# Acoustic Lighting Sensa



Augmented Reality



Article no.	Product type	Dimension	Information
723.12.10.000.00	Acoustic luminaire Sensa (1415mm linear light)	1480 x 300 x 63mm	3061lm, 3000 or 4000 Kelvin, UGR < 16 DALI
723.12.11.000.00	Acoustic luminaire Sensa (1845mm linear light)	1910 x 400 x 63mm	3980lm, 3000 or 4000 Kelvin, UGR < 16, DALI


Fully integrated linear LED technology, including suspension system.



Voltage	220 - 240 V
Dimmable	DALI
Light distribution	direct
Diffuser	Rico
Total power	31 W (1480mm) 41 W (1910mm)
Luminous flux of the luminaire	3061lm (1480mm) 3980lm (1910mm)
Luminous flux of the light source	4488lm (1480mm) 5835lm (1910mm)

Colour temperature (CCT)	<div style="display: flex; gap: 5px;"> <div style="background-color: #f96; border-radius: 50%; padding: 2px 5px;">2700K*</div> <div style="background-color: #ffc107; border-radius: 50%; padding: 2px 5px;">3000K*</div> <div style="background-color: #ffc107; border-radius: 50%; padding: 2px 5px;">3500K*</div> <div style="background-color: #17a2b8; border-radius: 50%; padding: 2px 5px;">4000K</div> </div> <small>*on request</small>
Colour rendering index (CRI)	90
Colour consistency	SDCM 3
Ingress protection	IP20 (protection class 1)
Life span	>50'000 h (L70 B50)
Case colour	black

# Acoustic Lighting Densa



Augmented Reality



Article no.	Product type	Dimension	Information
723.12.12.000.00	Acoustic luminaire Densa (1530mm linear light)	1555 x 400 x 135mm	2700lm, 3000 or 4000 Kelvin
723.12.13.000.00	Acoustic luminaire Densa (1815mm linear light)	1840 x 500 x 135mm	3200lm, 3000 or 4000 Kelvin

Fully integrated linear LED technology, including suspension system.



Voltage	220 - 240 V
Dimmable	DALI
Light distribution	direct
Diffuser	Microprism
Total power	29 W (1555mm) 38 W (1840mm)
Luminous flux of the luminaire	2700lm (1555mm) 3200lm (1840mm)
Luminous flux of the light source	4150lm (1555mm) 4980lm (1840mm)

Colour temperature (CCT)	<div style="display: flex; gap: 5px;"> <div style="background-color: #f96; border-radius: 50%; padding: 2px 5px;">2700K*</div> <div style="background-color: #ffc107; border-radius: 50%; padding: 2px 5px;">3000K*</div> <div style="background-color: #ffc107; border-radius: 50%; padding: 2px 5px;">3500K*</div> <div style="background-color: #17a2b8; border-radius: 50%; padding: 2px 5px;">4000K</div> </div> <small>*on request</small>
Colour rendering index (CRI)	90
Colour consistency	SDCM 3
Ingress protection	IP20 (protection class 1)
Life span	>50'000 h (L70 B50)
Case colour	black

# Decorative Lighting

## Oloid

by atelier oi




Augmented Reality



# Acoustic Lighting

## Orbis



Augmented Reality



Article no.	Product type	Dimension	Information
728.24.10.000.00	Acoustic Lighting Oloid Single	925 x 925 x 510mm	Design by atelier oi
728.24.11.000.00	Acoustic Lighting Oloid Double	925 x 925 x 660mm	Design by atelier oi

Extended lead times may apply. Please contact our Project Consultancy team for further advice.



Voltage	220 - 240 V
Dimmable	DALI
Light distribution	direct / indirect
Diffuser	Opal

Colour temperature (CCT)	<div style="display: flex; gap: 5px;"> <div style="background-color: #f96; border-radius: 50%; padding: 2px 5px;">2700K*</div> <div style="background-color: #fde725; border-radius: 50%; padding: 2px 5px;">3000K*</div> <div style="background-color: #fff9c4; border-radius: 50%; padding: 2px 5px;">3500K*</div> <div style="background-color: #e0e0e0; border-radius: 50%; padding: 2px 5px;">4000K</div> </div> <small>*on request</small>
Colour rendering index (CRI)	90
Colour consistency	SDCM 3
Ingress protection	IP20 (protection class 1)
Life span	>50'000 h (L70 B50)
Case colour	black

Article no.	Product type	Dimension	Information
724.24.10.000.00	Acoustic Lighting Orbis 1200 (direct and indirect)	D1200 x 90mm	9585lm
724.24.12.000.00	Acoustic Lighting Orbis 1200 (direct)	D1200 x 90mm	6393lm
724.24.15.000.00	Acoustic Lighting Orbis 1800 (direct and indirect)	D1800 x 90mm	9585lm
724.24.16.000.00	Acoustic Lighting Orbis 1800 (direct)	D1800 x 90mm	6393lm



Voltage	220 - 240 V
Dimming	DALI
Light distribution	direct
Diffuser	Opal
Total power	18 W
Luminous flux of the luminaire	2415lm
Luminous flux of the light source	2910lm

Colour temperature (CCT)	<div style="display: flex; gap: 5px;"> <div style="background-color: #f96; border-radius: 50%; padding: 2px 5px;">2700K*</div> <div style="background-color: #fde725; border-radius: 50%; padding: 2px 5px;">3000K*</div> <div style="background-color: #fff9c4; border-radius: 50%; padding: 2px 5px;">3500K*</div> <div style="background-color: #e0e0e0; border-radius: 50%; padding: 2px 5px;">4000K</div> </div> <small>*on request</small>
Colour rendering index (CRI)	90
Colour consistency	SDCM 3
Ingress protection	IP20 (protection class 1)
Life span	>50'000 h (L70 B50)
Case colour	black

# Acoustic Lighting Umbra Round



Article no.	Product type	Dimension	Information
722.12.36.000.00.00	Umbra Round 600 LED Disc	D600 x 400mm	1945lm, 3000K / 4000K
722.12.37.000.00.00	Umbra Round 800 LED Disc	D800 x 530mm	1945lm, 3000K / 4000K
722.12.38.000.00.00	Umbra Round 1200 LED Disc	D1200 x 650mm	4910lm, 3000K / 4000K
722.12.39.000.00.00	Umbra Round 1600 LED Disc	D1600 x 850mm	4910lm, 3000K / 4000K
622.13.14.000.00	Umbra Round 400 Retrofit (E27)	D400 x 270mm	Wattage Max 20V, Bulb not incl.
622.13.15.000.00	Umbra Round 600 Retrofit (E27)	D600 x 400mm	Wattage Max 20V, Bulb not incl.
622.13.16.000.00	Umbra Round 800 Retrofit (E27)	D800 x 530mm	Wattage Max 20V, Bulb not incl.
622.13.17.000.00	Umbra Round 1200 Retrofit (E27)	D1200 x 650mm	Wattage Max 20V, Bulb not incl.
622.13.18.000.00	Umbra Round 1600 Retrofit (E27)	D1600 x 850mm	Wattage Max 20V, Bulb not incl.

Pendant luminaire with integrated acoustic screen, including LED technology and suspension system.

Voltage	220 - 240 V	Colour temperature (CCT)	<div style="display: flex; gap: 5px;"> <div style="background-color: #f4a460; border-radius: 50%; padding: 2px 5px;">2700K*</div> <div style="background-color: #f1c40f; border-radius: 50%; padding: 2px 5px;">3000K</div> <div style="background-color: #f1c40f; border-radius: 50%; padding: 2px 5px;">3500K*</div> <div style="background-color: #a9d0d9; border-radius: 50%; padding: 2px 5px;">4000K</div> </div> <small>*other CCT on request</small>
Dimming	DALI	Colour rendering index (CRI)	90
Light distribution	direct	Efficacy	72 - 92 Lumen/Watt
Diffuser	Opal	Ingress protection	IP20 (protection class 1)
Total power	27 W   55 W	Life span	>50'000 h (L70 B50)
Luminous flux of the luminaire	1945lm - 4989lm	Case colour	black
Luminous flux of the light source	2850lm - 7655lm		

# Acoustic Lighting Circ




Article no.	Product type	Dimension	Information
726.24.30.000.00.30	Acoustic Luminaire Circ 1200, Plain	D1200 x 85mm	5672lm, 3000K
726.24.30.000.00.40	Acoustic Luminaire Circ 1200, Plain	D1200 x 85mm	5820lm, 4000K
726.24.40.000.00.30	Acoustic Luminaire Circ 1800, Plain	D1800 x 85mm	5672lm, 3000K
726.24.40.000.00.40	Acoustic Luminaire Circ 1800, Plain	D1800 x 85mm	5820lm, 4000K
726.24.31.000.00.30	Acoustic Luminaire Circ 1200, VCUT	D1200 x 85mm	5672lm, 3000K
726.24.31.000.00.40	Acoustic Luminaire Circ 1200, VCUT	D1200 x 85mm	5820lm, 4000K
726.24.41.000.00.30	Acoustic Luminaire Circ 1800,VCUT	D1800 x 85mm	5672lm, 3000K
726.24.41.000.00.40	Acoustic Luminaire Circ 1800, VCUT	D1800 x 85mm	5820lm, 4000K

Acoustic luminaire with fully integrated LED technology, including base and suspension.

Voltage	220 - 240 V	Colour temperature (CCT)	<div style="display: flex; gap: 5px;"> <div style="background-color: #f4a460; border-radius: 50%; padding: 2px 5px;">2700K*</div> <div style="background-color: #f1c40f; border-radius: 50%; padding: 2px 5px;">3000K</div> <div style="background-color: #f1c40f; border-radius: 50%; padding: 2px 5px;">3500K*</div> <div style="background-color: #a9d0d9; border-radius: 50%; padding: 2px 5px;">4000K</div> </div> <small>*other CCT on request</small>
Dimming	DALI	Colour rendering index (CRI)	90
Light distribution	direct	Efficacy	105   107 Lumen/Watt
Diffuser	Opal	Ingress protection	IP20 (protection class 1)
Total power	55W	Life span	>50'000 h (L70 B50)
Luminous flux of the luminaire	5672lm   5820lm	Case colour	black
Luminous flux of the light source	7250lm   7655lm		

# Acoustic Lighting Tetra



Augmented Reality



Article no.	Product type	Dimension	Information
725.24.10.000.00	Acoustic Sail Tetra 400	1200 x 1200 x 100mm	3010 lm, 4000 Kelvin
725.24.14.000.00	Acoustic Sail Tetra 400	1200 x 1800 x 100mm	3010 lm, 4000 Kelvin
725.24.11.000.00	Acoustic Sail Tetra 400	1800 x 1800 x 100mm	3010 lm, 4000 Kelvin
725.24.16.000.00	Acoustic Sail Tetra 400	1800 x 2400 x 100mm	3010 lm, 4000 Kelvin

Acoustic sail with fully integrated LED technology, including base and suspension.

# Acoustic Lighting Accessories

Article no.	Product type	Dimension	Information
722.12.16.102.90	Panel, Acoustic Booster Spark 400	12mm	for additional optimisation of the acoustic performance
722.12.14.102.90	Panel, Acoustic Booster Spark 600	12mm	for additional optimisation of the acoustic performance
722.12.15.102.90	Panel, Acoustic Booster Spark 800	12mm	for additional optimisation of the acoustic performance
722.12.17.102.90	Panel, Acoustic Booster Spark 1200	12mm	for additional optimisation of the acoustic performance
722.12.18.102.90	Panel, Acoustic Booster Spark 1600	12mm	for additional optimisation of the acoustic performance
722.12.30.102.90	Panel, Acoustic Booster Umbra Round 400	12mm	for additional optimisation of the acoustic performance
722.12.31.102.90	Panel, Acoustic Booster Umbra Round 600	12mm	for additional optimisation of the acoustic performance
722.12.32.102.90	Panel, Acoustic Booster Umbra Round 800	12mm	for additional optimisation of the acoustic performance
722.12.33.102.90	Panel, Acoustic Booster Umbra Round 1200	12mm	for additional optimisation of the acoustic performance
722.12.34.102.90	Panel, Acoustic Booster Umbra Round 1600	12mm	for additional optimisation of the acoustic performance
722.12.12.102.90	Panel, Acoustic Booster Umbra 2200	12mm	for additional optimisation of the acoustic performance



Voltage	220 - 240 V
Dimming	DALI
Light distribution	direct
Diffuser	Opal
Total power	31 W
Luminous flux of the luminaire	3010lm
Luminous flux of the light source	4635lm

Colour temperature (CCT)	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <span style="background-color: #f96; border-radius: 50%; padding: 2px;">2700K*</span> </div> <div style="text-align: center;"> <span style="background-color: #f9c; border-radius: 50%; padding: 2px;">3000K*</span> </div> <div style="text-align: center;"> <span style="background-color: #fff9c; border-radius: 50%; padding: 2px;">3500K*</span> </div> <div style="text-align: center;"> <span style="background-color: #c9f9c; border-radius: 50%; padding: 2px;">4000K</span> </div> </div> <small>*on request</small>
Colour rendering index (CRI)	90
Colour consistency	SDCM 3
Ingress protection	IP20 (protection class 1)
Life span	>50'000 h (L70 B50)
Case colour	black

# Acoustic *Walls*

Solving acoustic challenges in small and narrow spaces can be challenging with most of the floor occupied by other furniture. In such spaces, acoustic wall panels are an effective solution. We offer an extensive range of standard and bespoke products to spark your creativity and endless imagination – in both small and big spaces. Now completely glue-free.

Project  
**Trispace, Living Showroom**



## Wall Tile Tabula




Augmented Reality



Article no.	Product type	Dimension	Information
731.24.10.000.00	Wall Tile Tabula 24mm	150 x 2400 x 24mm	12 pcs., incl. Undercover
731.24.11.000.00	Wall Tile Tabula 24mm	300 x 2400 x 24mm	6 pcs., incl. Undercover
731.24.12.000.00	Wall Tile Tabula 24mm	600 x 2400 x 24mm	3 pcs., incl. Undercover
731.12.10.000.00	Wall Tile Tabula 12mm	150 x 2800 x 12mm	8 pcs., incl. Undercover
731.12.11.000.00	Wall Tile Tabula 12mm	300 x 2800 x 12mm	4 pcs., incl. Undercover
731.12.12.000.00	Wall Tile Tabula 12mm	600 x 2800 x 12mm	2 pcs., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



## Wall Tile Fishbone




Augmented Reality




Article no.	Product type	Dimension	Information
731.24.15/16.000.00	Wall Tile Fishbone 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
731.12.15/16.000.00	Wall Tile Fishbone 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



## Wall Tile Hexagon




Augmented Reality



Article no.	Product type	Dimension	Information
731.24.20.000.00	Wall Tile Hexagon 24mm	295 x 255 x 24mm	65 pcs. (unicolour)
731.12.20.000.00	Wall Tile Hexagon 12mm	295 x 255 x 12mm	48 pcs. (unicolour)

Acoustic wall panels with bevel.

## Wall Covering Flow




Augmented Reality




Article no.	Product type	Dimension	Information
732.24.11.000.00	Wall Covering Flow 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.11.000.00	Wall Covering Flow 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".  
12mm design slightly different.

Glue-free and concealed mounting with patented Undercover system.



# Wall Covering Kingscross




Augmented Reality



Article no.	Product type	Dimension	Information
732.24.12.000.00	Wall Covering Kingscross 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.12.000.00	Wall Covering Kingscross 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



# Wall Covering Vertigo




Augmented Reality




Article no.	Product type	Dimension	Information
732.24.13.000.00	Wall Covering Vertigo 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.13.000.00	Wall Covering Vertigo 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



# Wall Covering Vertigo Irregular




Augmented Reality




Article no.	Product type	Dimension	Information
732.24.15.000.00	Wall Covering Vertigo Irregular 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.15.000.00	Wall Covering Vertigo Irregular 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



# Wall Covering Vertigo Wide




Augmented Reality



Article no.	Product type	Dimension	Information
732.24.31.000.00	Wall Covering Vertigo Wide 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.31.000.00	Wall Covering Vertigo Wide 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



## Wall Covering Vertigo Fine



Augmented Reality



## Wall Covering Prisma




Augmented Reality



Article no.	Product type	Dimension	Information
732.24.14.000.00	Wall Covering Vertigo Fine 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.14.000.00	Wall Covering Vertigo Fine 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".


Glue-free and concealed mounting with patented Undercover system.



Article no.	Product type	Dimension	Information
732.24.16.000.00	Wall Covering Prisma 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.16.000.00	Wall Covering Prisma 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



# Wall Covering Facet




Augmented Reality



Article no.	Product type	Dimension	Information
732.24.17.000.00	Wall Covering Facet 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.17.000.00	Wall Covering Facet 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



# Wall Covering Maze




Augmented Reality



Article no.	Product type	Dimension	Information
732.24.18.000.00	Wall Covering Maze 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.18.000.00	Wall Covering Maze 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



## Wall Covering Gatsby




Augmented Reality



Article no.	Product type	Dimension	Information
732.24.19.000.00	Wall Covering Gatsby 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.19.000.00	Wall Covering Gatsby 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



## Wall Covering Contour




Augmented Reality




Article no.	Product type	Dimension	Information
732.24.20.000.00	Wall Covering Contour 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.20.000.00	Wall Covering Contour 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



# Wall Covering Loop




Augmented Reality




Article no.	Product type	Dimension	Information
732.24.21.000.00	Wall Covering Loop 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.21.000.00	Wall Covering Loop 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



# Wall Covering Maya




Augmented Reality




Article no.	Product type	Dimension	Information
732.24.22.000.00	Wall Covering Maya 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.22.000.00	Wall Covering Maya 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.




# Wall Covering Fylo



Augmented Reality



# Wall Covering Cottage



Augmented Reality




Article no.	Product type	Dimension	Information
732.24.23.000.00	Wall Covering Fylo 24mm	1800 x 2400 x 24mm	Consists of 2 parts of 900mm width, incl. Undercover
732.12.23.000.00	Wall Covering Fylo 12mm	1200 x 2800 x 12mm	Consists of 2 parts of 600mm width, incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".


Article no.	Product type	Dimension	Information
732.24.24.000.00	Wall Covering Cottage 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.24.000.00	Wall Covering Cottage 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



Glue-free and concealed mounting with patented Undercover system.



## Wall Covering Fon



Augmented Reality



## Wall Covering Pass



Augmented Reality




Article no.	Product type	Dimension	Information
732.24.25.000.00	Wall Covering Fon 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.25.000.00	Wall Covering Fon 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".


Article no.	Product type	Dimension	Information
732.24.26.000.00	Wall Covering Pass 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.26.000.00	Wall Covering Pass 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



Glue-free and concealed mounting with patented Undercover system.




## Wall Covering Bau



Augmented Reality



## Wall Covering Vela



Augmented Reality




Article no.	Product type	Dimension	Information
732.24.27.000.00	Wall Covering Bau 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.27.000.00	Wall Covering Bau 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".


Article no.	Product type	Dimension	Information
732.24.28.000.00	Wall Covering Vela 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.28.000.00	Wall Covering Vela 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



Glue-free and concealed mounting with patented Undercover system.



# Wall Covering Tapis




Augmented Reality



Article no.	Product type	Dimension	Information
732.24.29.000.00	Wall Covering Tapis 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.29.000.00	Wall Covering Tapis 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



# Wall Covering Stream




Augmented Reality



Article no.	Product type	Dimension	Information
732.24.30.000.00	Wall Covering Stream 24mm	1800 x 2400 x 24mm	1 pc., incl. Undercover
732.12.30.000.00	Wall Covering Stream 12mm	1200 x 2800 x 12mm	1 pc., incl. Undercover

Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



## Wall Covering Riftcut



Augmented Reality



## Wall Panel Track




Augmented Reality



Article no.	Product type	Dimension	Information
734.12.10.100.00	Wall Covering Riftcut 12mm	1200 x 2800 x 12mm	1 pcs., available in 24 printed shades, incl. Undercover

Printed with the 24 wood designs from the Riftcut collection.  
Acoustic wall panels with bevel. Installation with our patented environmental friendly and glue-free solution "Undercover".

Glue-free and concealed mounting with patented Undercover system.



Article no.	Product type	Dimension	Information
735.12.10.000.00	Wall panel ARCHISONIC® Felt standard edge treatment	1200 x 2800 x 40mm	incl. installation kit
735.12.11.000.00	Wall panel ARCHISONIC® Felt Flip-Edge treatment	1200 x 2800 x 40mm	incl. installation kit
735.12.12.000.00	Wall panel ARCHISONIC® Riftcut standard edge treatment	1200 x 2800 x 40mm	incl. installation kit
735.12.13.000.00	Wall panel ARCHISONIC® Riftcut Flip-Edge treatment	1200 x 2800 x 40mm	incl. installation kit

# Graphic Wall Covering Roma




Augmented Reality



Article no.	Product type	Dimension	Information
736.12.12.000.00	Wall Covering Roma 50	1200 x 2800 x 12mm	1 pcs., available in 24 printed colours, incl. Undercover
736.12.13.000.00	Wall Covering Roma 100	1200 x 2800 x 12mm	1 pcs., available in 24 printed colours, incl. Undercover

Glue-free and concealed mounting with patented Undercover system.



Roma



# Acoustic *Room Dividers*

Create different areas in bigger spaces with acoustic partition walls and optimise the sound while you're at it. Pick your favourite from a wide product range. Every element can be adapted to fit your needs to become part of your design vision.




Project  
**EY, Luzern**

## Hanging Division Bubbles




Article no.	Product type	Dimension	Information
741.24.13.000.00	Hanging Division Bubbles 24mm	1800 x 2400 x 24mm	incl. suspension kit
741.24.14.000.00	Hanging Division Bubbles 24mm	900 x 2400 x 24mm	incl. suspension kit
741.12.13.000.00	Hanging Division Bubbles 12mm	1200 x 2800 x 12mm	incl. suspension kit

## Hanging Division Forest




Article no.	Product type	Dimension	Information
741.24.15.000.00	Hanging Division Forest 24mm	1800 x 2400 x 24mm	incl. suspension kit
741.24.16.000.00	Hanging Division Forest 24mm	900 x 2400 x 24mm	incl. suspension kit
741.12.15.000.00	Hanging Division Forest 12mm	1200 x 2800 x 12mm	incl. suspension kit

## Hanging Division Illum




Article no.	Product type	Dimension	Information
741.24.17.000.00	Hanging Division Illum 24mm	1800 x 2400 x 24mm	incl. suspension kit
741.24.18.000.00	Hanging Division Illum 24mm	900 x 2400 x 24mm	incl. suspension kit
741.12.17.000.00	Hanging Division Illum 12mm	1200 x 2800 x 12mm	incl. suspension kit

## Hanging Division Linea



Article no.	Product type	Dimension	Information
741.24.19.000.00	Hanging Division Linea 24mm	1800 x 2400 x 24mm	incl. suspension kit
741.24.20.000.00	Hanging Division Linea 24mm	900 x 2400 x 24mm	incl. suspension kit
741.12.19.000.00	Hanging Division Linea 12mm	1200 x 2800 x 12mm	incl. suspension kit

## Hanging Division Matrix




Augmented Reality



Article no.	Product type	Dimension	Information
741.24.21.000.00	Hanging Division Matrix 24mm	1800 x 2400 x 24mm	incl. suspension kit
741.24.22.000.00	Hanging Division Matrix 24mm	900 x 2400 x 24mm	incl. suspension kit
741.12.21.000.00	Hanging Division Matrix 12mm	1200 x 2800 x 12mm	incl. suspension kit

## Hanging Division Tunica




Augmented Reality



Article no.	Product type	Dimension	Information
741.24.23.000.00	Hanging Division Tunica 24mm	1800 x 2400 x 24mm	incl. suspension kit
741.24.24.000.00	Hanging Division Tunica 24mm	900 x 2400 x 24mm	incl. suspension kit
741.12.23.000.00	Hanging Division Tunica 12mm	1200 x 2800 x 12mm	incl. suspension kit

## Hanging Division Web




Augmented Reality



Article no.	Product type	Dimension	Information
741.24.25.000.00	Hanging Division Web 24mm	1800 x 2400 x 24mm	incl. suspension kit
741.24.26.000.00	Hanging Division Web 24mm	900 x 2400 x 24mm	incl. suspension kit
741.12.25.000.00	Hanging Division Web 12mm	1200 x 2800 x 12mm	incl. suspension kit

## Hanging Division Gradient




Augmented Reality



Article no.	Product type	Dimension	Information
741.24.27.000.00	Hanging Division Gradient 24mm	1800 x 2400 x 24mm	incl. suspension kit
741.24.28.000.00	Hanging Division Gradient 24mm	900 x 2400 x 24mm	incl. suspension kit
741.12.27.000.00	Hanging Division Gradient 12mm	1200 x 2800 x 12mm	incl. suspension kit

## Hanging Division Rays




Augmented Reality



Article no.	Product type	Dimension	Information
741.24.29.000.00	Hanging Division Rays 24mm	1800 x 2400 x 24mm	incl. suspension kit
741.24.30.000.00	Hanging Division Rays 24mm	900 x 2400 x 24mm	incl. suspension kit
741.12.29.000.00	Hanging Division Rays 12mm	1200 x 2800 x 12mm	incl. suspension kit

## Hanging Division Croze




Augmented Reality



Article no.	Product type	Dimension	Information
741.24.31.000.00	Hanging Division Croze 24mm	1800 x 2400 x 24mm	incl. suspension kit
741.24.32.000.00	Hanging Division Croze 24mm	900 x 2400 x 24mm	incl. suspension kit
741.12.31.000.00	Hanging Division Croze 12mm	1200 x 2800 x 12mm	incl. suspension kit

## Hanging Division Braille




Augmented Reality



Article no.	Product type	Dimension	Information
741.24.33.000.00	Hanging Division Braille 24mm	1800 x 2400 x 24mm	incl. suspension kit
741.24.34.000.00	Hanging Division Braille 24mm	900 x 2400 x 24mm	incl. suspension kit
741.12.33.000.00	Hanging Division Braille 12mm	1200 x 2800 x 12mm	incl. suspension kit

## Hanging Division Ornella




Augmented Reality



Article no.	Product type	Dimension	Information
741.24.35.000.00	Hanging Division Ornella 24mm	1800 x 2400 x 24mm	incl. suspension kit
741.24.36.000.00	Hanging Division Ornella 24mm	900 x 2400 x 24mm	incl. suspension kit
741.12.35.000.00	Hanging Division Ornella 12mm	1200 x 2800 x 12mm	incl. suspension kit

## Hanging Division Kyvos




Augmented Reality



Article no.	Product type	Dimension	Information
741.24.37.000.00	Hanging Division Kyvos 24mm	1800 x 2400 x 24mm	incl. suspension kit
741.24.38.000.00	Hanging Division Kyvos 24mm	900 x 2400 x 24mm	incl. suspension kit
741.12.36.000.00	Hanging Division Kyvos 12mm	1200 x 2800 x 12mm	incl. suspension kit

## Hanging Division Plain




Augmented Reality



Article no.	Product type	Dimension	Information
741.24.90.000.00	Hanging Division Plain 24mm	1800 x 2400 x 24mm	incl. suspension kit
741.24.91.000.00	Hanging Division Plain 24mm	900 x 2400 x 24mm	incl. suspension kit
741.12.90.000.00	Hanging Division Plain 12mm	1200 x 2800 x 12mm	incl. suspension kit

# Hanging Division Jungle




Article no.	Product type	Dimension	Information
741.24.40.000.00	Hanging Division Jungle 24mm	1800 x 2400 x 24mm	incl. suspension kit
741.24.41.000.00	Hanging Division Jungle 24mm	900 x 2400 x 24mm	incl. suspension kit
741.12.39.000.00	Hanging Division Jungle 12mm	1200 x 2800 x 12mm	incl. suspension kit

Jungle



# Tensed Division Helios



Augmented Reality



# Standing Partition Asto




Augmented Reality




Article no.	Product type	Dimension	Information
747.12.10.000.00	Tensed Division Helios 12mm	1800 x 2400-3600 x 40mm	incl. pull ropes (black), height adjustable, 4 round acoustic panels double planked, single colour, D=770mm

Article no.	Product type	Dimension	Information
743.24.10.000.00	Standing Partition Asto	1600 x 1180 x 24mm (W x H x T)	incl. base 642mm (H), RAL 9005
743.24.13.000.00	Standing Partition Asto	1800 x 1180 x 24mm (W x H x T)	incl. base 642mm (H), RAL 9005
743.24.11.000.00	Standing Partition Asto	1600 x 1420 x 24mm (W x H x T)	incl. base 642mm (H), RAL 9005
743.24.14.000.00	Standing Partition Asto	1800 x 1420 x 24mm (W x H x T)	incl. base 642mm (H), RAL 9005
743.24.12.000.00	Standing Partition Asto	1600 x 1800 x 24mm (W x H x T)	incl. base 942mm (H), RAL 9005
743.24.15.000.00	Standing Partition Asto	1800 x 1800 x 24mm (W x H x T)	incl. base 942mm (H), RAL 9005


## Perforation




Web



Matrix



Bubbles



Crose

# Standing Partition Motus



Augmented Reality



Article no.	Product type	Dimension	Information
744.24.10.000.00	Standing Partition Motus	1800 x 1600 x 24mm (W x H x T)	incl. rolling frame (RAL 9005)
744.24.11.000.00	Standing Partition Motus	1800 x 1800 x 24mm (W x H x T)	incl. rolling frame (RAL 9005)

# Acoustic Whiteboard Grafo




Augmented Reality




Article no.	Product type	Dimension	Information
742.24.28.000.00	Mobile Acoustic Whiteboard Grafo	1210 x 1925 x 425mm	Magnetic enameled whiteboard with pinnable surface on black metal frame (RAL 9005) with casters


### Perforation




Web



Matrix




Bubbles



Croze

## Standing Partition Omnia




Augmented Reality



Article no.	Product type	Dimension	Information
742.24.70.000.00	Standing Partition Omnia	1174 x 1810 x 285mm	incl. metal frame (black)

## Standing Partition Paling



Augmented Reality




Article no.	Product type	Dimension	Information
742.24.90.000.00	Standing Partition Paling	2165 x 1800 x 230mm	incl. mounted 120° metal joints (not foldable), 6-piece


# Acoustic *Curtain System*

Our ARCHISONIC® Textile based room-in-room solution creates flexible and adaptable environments. Noren champions sustainability with recycled and reusable materials and is based on the principles of circular design. Each product provides access to a digital product passport, which ensures complete transparency and traceability. The acoustic curtain offers numerous colour options and, thanks to a take-back programme, opens up a profitable path to a circular economy for businesses.

Noren




# Acoustic Curtain Noren




Augmented Reality




Article no.	Product type	Dimension	Information
551.10.00.000.10	Noren Square 3600	W3600mm, L3600mm H2700mm	Direct to ceiling, incl. track system, runners and inner layers
551.20.00.000.10	Noren Rectangle 4800	W4800mm, L3600mm H2700mm	Direct to ceiling, incl. track system, runners and inner layers
551.30.00.000.10	Noren Circle 3600	D3600mm, H2700mm	Direct to ceiling, incl. track system, runners and inner layers
551.40.00.000.10	Noren Straight 2800	L2800mm, H2700mm	Direct to ceiling, incl. track system, runners and inner layers




Noren SQUARE



Noren RECTANGLE



Noren CIRCLE




Noren STRAIGHT



# Acoustic *Shading*

Our Acoustic Shading systems redefine spatial dynamics by merging visual elegance with acoustic performance. Combining retractable elements with precise control, they allow effortless transitions between openness and privacy, collaboration and focus. The vertically suspended lamellas are flexibly adjustable, available in 36 curated colours. As a contemporary reinterpretation of the classic vertical blind – whether used in open spaces or at the window – they combine spatial and acoustic zoning with effective glare and privacy control. A future-ready solution for dynamic and versatile interiors.


Project  
**Deckenmeyer AG**



# Retractable Room Division

## Pixels


by Rafa Ortega




Augmented Reality



Article no.	Product type	Dimension	Information
746.12.01.000.00	Pixels Square	L1250mm, H2821mm	Incl. rail and components (RAL9005)
746.12.02.000.00	Pixels Hex	L1250mm, H2816mm	Incl. rail and components (RAL9005)
746.12.03.000.00	Pixels Drop	L1250mm, H2853mm	Incl. rail and components (RAL9005)
746.12.04.000.00	Pixels Plain	L1250mm, H2821mm	Incl. rail and components (RAL9005)




Pixels SQUARE



Pixels HEX



Pixels DROP




Pixels PLAIN



# Acoustic *Desk Dividers*

Acoustic partitions for desks should not be missing in any office. Especially in open-plan offices, they give a bit of privacy and muffle telephone conversations. All products can also be produced with your individual size or perforation on request. The lightweight of our material makes the dividers especially attractive for desks with a motor.

Infra



Project  
**Raiffeisenbank, Aarberg**

# Desk Division Supra



Augmented Reality



# Desk Division Infra




Augmented Reality




Article no.	Product type	Dimension	Information
745.24.10.000.00	Desk Division Supra	1180 x 450 x 24mm, 380mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.11.000.00	Desk Division Supra	1400 x 450 x 24mm, 380mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.12.000.00	Desk Division Supra	1600 x 450 x 24mm, 380mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.13.000.00	Desk Division Supra	1800 x 450 x 24mm, 380mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.20.000.00	Desk Division Supra	1180 x 550 x 24mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.21.000.00	Desk Division Supra	1400 x 550 x 24mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.22.000.00	Desk Division Supra	1600 x 550 x 24mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.23.000.00	Desk Division Supra	1800 x 550 x 24mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)

Article no.	Product type	Dimension	Information
745.24.30.000.00	Desk Division Infra	780 x 770 x 24mm, 380mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.31.000.00	Desk Division Infra	1180 x 770 x 24mm, 380mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.32.000.00	Desk Division Infra	1400 x 770 x 24mm, 380mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.33.000.00	Desk Division Infra	1600 x 770 x 24mm, 380mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.34.000.00	Desk Division Infra	1800 x 770 x 24mm, 380mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.40.000.00	Desk Division Infra	780 x 870 x 24mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.41.000.00	Desk Division Infra	1180 x 870 x 24mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.42.000.00	Desk Division Infra	1400 x 870 x 24mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.43.000.00	Desk Division Infra	1600 x 870 x 24mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.44.000.00	Desk Division Infra	1800 x 870 x 24mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)

Adapter



Perforation




Web

Matrix


Bubbles

Crose

Adapter



Perforation



Web

Matrix

Bubbles

Crose

## Desk Division Wrap




Augmented Reality



Article no.	Product type	Dimension	Information
745.12.10.000.00	Desk Division Full Wrap	590/1600/590 x 590 x 12 mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.12.11.000.00	Desk Division Left Wrap	790/590 x 590 x 12mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.12.12.000.00	Desk Division Right Wrap	790/590 x 590 x 12mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)

Adapter



Left Wrap



Right Wrap



## Desk Division Wrap Performance




Augmented Reality



Article no.	Product type	Dimension	Information
745.24.80.000.00	Desk Division Left Wrap Performance	790/790 x 590 x 24mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.81.000.00	Desk Division Right Wrap Performance	790/790 x 590 x 24mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)

Adapter



Right Wrap



## Desk Division Full Moon




Augmented Reality



Article no.	Product type	Dimension	Information
745.24.60.000.00	Desk Division Full Moon	1180 x 590 x 24mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.61.000.00	Desk Division Full Moon	1400 x 590 x 24mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.62.000.00	Desk Division Full Moon	1600 x 590 x 24mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)

Adapter



## Desk Division Half Moon




Augmented Reality



Article no.	Product type	Dimension	Information
745.24.70.000.00	Desk Division Half Moon (left side)	790/590 x 590 x 24mm, 480mm above table top	incl. adapter (round) 10-32mm (RAL 9005)
745.24.71.000.00	Desk Division Half Moon (right side)	790/590 x 590 x 24mm, 480mm above table top	incl. adapter round 10-32mm (RAL 9005)

Adapter



## Standing Partition Murus



Article no.	Product type	Dimension	Information
742.24.10.000.00	Standing Partition Murus Set	800 x 1600 x 1180mm	Suitable for 1 workstation (1600 x 800mm)
742.24.11.000.00	Standing Partition Murus Set	1600 x 1600 x 1180mm	Suitable for 2 workstations (1600 x 800mm)
742.24.12.000.00	Standing Partition Murus Set	1600 x 3200 x 1180mm	Suitable for 4 workstations (1600 x 800mm)
742.24.13.000.00	Standing Partition Murus Set	1600 x 4800 x 1180mm	Suitable for 6 workstations (1600 x 800mm)
742.24.20.000.00	Standing Partition Murus Set	800 x 1600 x 1420mm	Suitable for 1 workstation (1600 x 800mm)
742.24.21.000.00	Standing Partition Murus Set	1600 x 1600 x 1420mm	Suitable for 2 workstations (1600 x 800mm)
742.24.22.000.00	Standing Partition Murus Set	1600 x 3200 x 1420mm	Suitable for 4 workstations (1600 x 800mm)
742.24.23.000.00	Standing Partition Murus Set	1600 x 4800 x 1420mm	Suitable for 6 workstations (1600 x 800mm)

## Desk Division Moby



Article no.	Product type	Dimension	Information
745.24.82.000.00	Desk Division Moby	595 x 592 x 24mm, 471mm above table top	incl. a connecting element
745.24.83.000.00	Desk Division Moby	595 x 792 x 24mm, 639mm above table top	incl. a connecting element

# Visplay FOS



Article no.	Product type	Dimension	Information
	Visplay FOS Flexible Office System		Electrified. Flexible configuration with integration of ARCHISONIC® Felt acoustic back and partition walls and acoustic pin board

For more information on the product, please contact our collaboration partner Visplay.



# Vitra Comma



Article no.	Product type	Dimension	Information
	Vitra Comma		Flexibly configurable and electrifiable with integration of ARCHISONIC® Felt acoustic back and partition walls in four colours

For more information on the product, please contact our collaboration partner Vitra.




# Acoustic *Accessories*

A selected range of accessories for your everyday office life. Experience how the flexible and versatile material, which we produce from up-cycled PET bottles, is used to create tools that make your work easier and more pleasant.

Projekt  
**berry, Zurich**



## Workplace Organizer TwoWay




Augmented Reality



Article no.	Product type	Dimension	Information
791.12.10.000.00	Acoustical Organizer TwoWay	360 x 165 x 250mm	330mm inner dimension

## Workplace Organizer TwoWay Pro



Augmented Reality



Article no.	Product type	Dimension	Information
791.12.12.000.00	Acoustical Organizer TwoWay Pro	524 x 165 x 250mm	500mm inner dimension

## Acoustic Accessory Shelter



Augmented Reality



Article no.	Product type	Dimension	Information
746.24.80.000.00	Acoustic Accessory Shelter	400/800/400 x 550 x 24mm	foldable

## Acoustic Accessory StormBoard



Augmented Reality



Article no.	Product type	Dimension	Information
792.24.20.000.00	Acoustic Accessory Stormboard	1000 x 1800 x 25mm	incl. suspension kit

# Coat Hanger Drop




Augmented Reality



Article no.	Product type	Dimension	Information
793.24.10.000.00	Coat Hanger Drop	418 x 171 x 24mm	Set of 10

TwoWay



**ARCHISONIC®**

# *Felt*

In addition to use in our standard products, we also offer our unique ARCHISONIC® Felt material as a semi-finished product. Get creative and discover the versatile applications of our high-performance acoustic absorbers. There are no shapes, designs or applications for which the robust and easy-care material cannot be used.

**Raw panels**

# 12mm

Article no.	Colour	Dimension	Weight
812.10.12.102.01	102 Shell Pink	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.103.01	103 Cloud	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.105.01	105 Warm Stone	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.107.01	107 Linen	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.108.01	108 Ground	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.139.01	139 Honeycomb	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.140.01	140 Hot Pink	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.144.01	144 Gull	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.160.07	160 Lichen	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.180.01	180 Fern	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.194.01	194 True Navy	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.239.01	239 Terracotta	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.304.01	304 Ice Blue	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.311.01	311 Nordic Pine	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.317.01	317 Grove	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.404.01	404 Milk	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.410.01	410 Winter Sky	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.432.01	432 Pacific Ocean	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.439.01	439 Moss	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.442.01	442 Smoke	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.444.01	444 Slate	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.464.01	464 Electric Orange	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.500.01	500 Snow White	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.516.01	516 Soft Coral	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.540.01	540 Grape	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.542.01	542 Charcoal	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.550.01	550 Raven	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.662.01	662 Poster Red	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.706.01	706 Spearmint	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.712.01	712 Succulent	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.724.01	724 Garnet	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.810.01	810 Midnight	1220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.846.01	846 Sunshine	220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.864.01	864 Marine Blue	220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.918.01	918 Deep Sea	220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>
812.10.12.920.01	920 Jute	220 x 2820 x 12mm (+/- 7%)	2400g/m <sup>2</sup>

# 24mm

Article no.	Colour	Dimension	Weight
812.10.24.102.01	102 Shell Pink	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.103.01	103 Cloud	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.105.01	105 Warm Stone	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.107.01	107 Linen	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.108.01	108 Ground	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.139.01	139 Honeycomb	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.140.01	140 Hot Pink	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.144.01	144 Gull	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.160.07	160 Lichen	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.180.01	180 Fern	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.194.01	194 True Navy	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.239.01	239 Terracotta	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.304.01	304 Ice Blue	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.311.01	311 Nordic Pine	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.317.01	317 Grove	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.404.01	404 Milk	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.410.01	410 Winter Sky	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.432.01	432 Pacific Ocean	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.439.01	439 Moss	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.442.01	442 Smoke	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.444.01	444 Slate	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.464.01	464 Electric Orange	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.500.01	500 Snow White	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.516.01	516 Soft Coral	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.540.01	540 Grape	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.542.01	542 Charcoal	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.550.01	550 Raven	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.662.01	662 Poster Red	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.706.01	706 Spearmint	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.712.01	712 Succulent	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.724.01	724 Garnet	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.810.01	810 Midnight	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.846.01	846 Sunshine	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.864.01	864 Marine Blue	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.918.01	918 Deep Sea	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>
812.10.24.920.01	920 Jute	1820 x 2420 x 24mm (+/ 7%)	4000g/m <sup>2</sup>

# *One* collection. *Eight* colour families. *Unlimited* possibilities.

This colour collection is created in partnership with Colour Hive with an understanding of developing and enduring colour trends, each with a story to tell.


## ARCHISONIC®

### **Pioneering *sustainability* and acoustics.**

The building sector is the world's largest single source of energy-related greenhouse gas emissions. Half of the energy consumed in the construction of new buildings is used for the production of materials and products.

For us, waste is a crime. Sustainable indoor acoustic products can be a simple first step in making a much-needed change. That's why we developed ARCHISONIC®, arguably the most flexible and high-performing acoustic material on the market. Made from recycled PET bottles.

The entire ARCHISONIC® product range is LEED and Cradle to Cradle™ certified. Due to its flexible applications, it offers the design and architectural community limitless possibilities for addressing acoustic challenges.



# ARCHISONIC®

## Quiet Neutrals

12mm & 24 mm

In an ever-connected increasingly urban age, we are all at times in search of a moment of silence. With this in mind, we look to the quieter elements of nature as inspiration for a series of calming and balanced neutrals.



## Warm Naturals

12mm & 24 mm

While there is much to be hopeful about, we find ourselves living in a time of uncertainty. To counter these feelings of anxiety, we are drawn to environments that reassure and hold us in a virtual hug.



## Living Greens

12mm & 24 mm

Environmental awareness and a deepening appreciation of biophilia drives a desire for ever more greenspaces.



## Elemental Blues

12mm & 24 mm

We had to pay tribute to our blue planet with a collection of sea- and sky-inspired hues. As our air and water quality are increasingly under threat, the appeal of nature's blues becomes stronger.



# ARCHISONIC®

## Soothing Pastels

12mm & 24 mm

This directional colour collection is curated from our core palettes of Elemental Blues, Living Greens and Warm Naturals. Combined with shades from the Quiet Neutrals collection and natural materials, these colours take on a timeless quality.



Shell Pink  
102



Soft Coral  
516



Ice Blue  
304



Winter Sky  
410



Spearmint  
706



Succulent  
712

## Elegant Darks

12mm & 24 mm

While colour can create a mood, it is the depth or lightness of a hue that truly defines the emotion.



Garnet  
724



Marine Blue  
864



Midnight  
810



Nordic Pine  
311



Raven  
550

## Energetic Brights

12mm & 24 mm

Here to make an impact, our boldest, clearest hues are collected in a story of optimism and energy. As a counterbalance to enduring trends for tone-on-tone layers of colours, there is also the welcome return of clear and saturated brights.



Pacific Ocean  
432



Moss  
439



Sunshine  
846



Electric Orange  
464



Hot Pink  
140



Grape  
540

## Primary Play

12mm & 24 mm

The Bauhaus centenary has reawakened designers' interest in primary colours and the fundamental building blocks of colour are here in this nuanced red, blue and yellow.



Snow White  
500



Charcoal  
542



Sunshine  
846



Poster Red  
662



Marine Blue  
864

# ARCHISONIC®

## Composition

100% PET (60% certified post-consumer content)

## Material Reutilisation

**24mm** 88 PET bottles/m<sup>2</sup>  
**12mm** 53 PET bottles/m<sup>2</sup>

## Density

**24mm** 4000 g/m<sup>2</sup> (+/-10%)  
**12mm** 2400 g/m<sup>2</sup> (+/-10%)

## Dimensions Raw Panels

**24mm** 1800 x 2400 x 24mm  
 70" x 94" x 0.94" (+/-7%)  
**12mm** 1200 x 2800 x 12mm  
 47" x 110" x 0.47" (+/-7%)

## Fire Test

**B-s1, d0** Class A  
 DIN EN 13501-1 ASTM E84

## VOC Emission

**A+** Pass  
 28 Days French Regulation 14 Days CDPH/EHLB



## Sustainability




## Acoustic Specifications

### ARCHISONIC® Material 24mm

Frequency (Hz)	125	250	500	1000	2000	4000	$\alpha_w$	NRC
ARCHISONIC® 24mm	0.05	0.25	0.55	0.90	1.05	1.10	0.55	0.70
ARCHISONIC® 24mm with 40mm insulation	0.45	0.70	0.90	0.95	0.95	0.95	0.80	0.90
ARCHISONIC® 24mm with 50mm insulation	0.40	0.90	1.00	1.00	1.00	1.00	1.00	1.00
ARCHISONIC® 24mm with 50mm air cavity	0.15	0.35	0.75	1.00	1.00	1.05	0.65	0.80
ARCHISONIC® 24mm with 100mm air cavity	0.20	0.65	0.90	1.00	0.95	1.05	0.90	0.90
ARCHISONIC® 24mm with 200mm air cavity	0.55	0.85	0.90	0.90	1.00	1.05	0.95	0.90
ARCHISONIC® 24mm with 300mm air cavity	0.70	0.85	0.85	0.95	1.00	1.05	0.95	0.90

### Sound Absorption Coefficient ( $\alpha_s$ ) according to EN ISO 354

Universität Stuttgart – Institut für Akustik und Bauphysik IABP



- ARCHISONIC® 24mm
- ARCHISONIC® 24mm with 40mm insulation
- ARCHISONIC® 24mm with 50mm insulation
- ARCHISONIC® 24mm with 50mm air cavity
- ARCHISONIC® 24mm with 100mm air cavity
- ARCHISONIC® 24mm with 200mm air cavity
- ARCHISONIC® 24mm with 300mm air cavity


The graph represents the sound absorption coefficients ( $\alpha_s$ ) in the third octave band center frequencies. Measurement used Pink Noise as excitation signal in a reverberant room.

## Acoustic Specifications

### ARCHISONIC® Material 12mm

Frequency (Hz)	125	250	500	1000	2000	4000	$\alpha_w$	NRC
ARCHISONIC® 12mm	0.05	0.05	0.25	0.55	0.85	1.05	0.30	0.45
ARCHISONIC® 12mm with 40mm insulation	0.30	0.85	1.00	1.00	1.00	1.00	1.00	1.00
ARCHISONIC® 12mm with 50mm insulation	0.40	0.65	0.85	0.95	0.95	0.95	0.80	0.85
ARCHISONIC® 12mm with 50mm air cavity	0.05	0.15	0.40	0.70	0.80	0.75	0.50	0.50

### Sound Absorption Coefficient ( $\alpha_s$ ) according to EN ISO 354 Universität Stuttgart – Institut für Akustik und Bauphysik IABP



- ARCHISONIC® 12mm
- ARCHISONIC® 12mm with 40mm insulation
- ARCHISONIC® 12mm with 50mm insulation
- ARCHISONIC® 12mm with 50mm air cavity

The graph represents the sound absorption coefficients ( $\alpha_s$ ) in the third octave band center frequencies. Measurement used Pink Noise as excitation signal in a reverberant room.



# ARCHISONIC® *Riftcut*

ARCHISONIC® Riftcut is our print collection that combines the beauty of wood with the environmental benefits of our recycled material. The product was developed in collaboration with German veneer specialists Schotten & Hansen and Swiss designer Ina Rinderknecht.

Rose+Pigeon



# ARCHISONIC®

## Neutrals

12 mm

Neither warm nor cool, this group features three tones of Shadow. Designer White, as the cleanest white available is an essential standalone colour.



Shadow  
20

Shadow  
30

Shadow  
50



Designer White  
00

## Warm Neutrals

12 mm

A timeless and classic warm neutral scale represented by three tones of Flax.



Flax  
10

Flax  
30

Flax  
50

## Yellows+Oranges

12 mm

A duo tone of Wheat and three tones of Almond create a small group of yellows and oranges.



Almond  
20

Almond  
30

Almond  
40



Wheat  
30



Wheat  
50

## Reds+Pinks+Purples

12 mm

Featuring a duo tone of Rose and a duo tone of the shaded red, Pigeon.



Rose  
20

Rose  
50



Pigeon  
20




Pigeon  
30

# ARCHISONIC®

## Blues

12 mm

A classic, easy blue scale represented by three tones of Denim.



Denim  
10



Denim  
30




Denim  
40

## Greens

12 mm

A duo tone of the fresher Aloe and three tones of the more shaded Sage create a commercial group of greens.



Sage  
10



Sage  
30



Sage  
50



Aloe  
30



Aloe  
50

## Composition

100% PET (60% certified recycled material)

## Material Reutilisation

12mm

53 PET bottles/m<sup>2</sup>

## Density

12mm

2400 g/m<sup>2</sup> (+/-10%)

## Dimensions Raw Panels

12mm

1200 x 2800 x 12mm

47" x 110" x 0.47" (+/-7%)

## Fire Test

B-s1, d0

DIN EN 13501-1

Class A

ASTM E84

## VOC Emission

A+

28 Days French Regulation

Pass

14 CDPH/EHLB

## Ink



No NVC, no VOC, no TPO, vegan, conformity with California Prop65 (CP65) and the European RoHS Directive 3

# ARCHISONIC®


## ARCHISONIC® Riftcut Natural Collection (NC)

A natural wood shade extension to our bestselling Riftcut. The printed finish is created entirely using GREENGUARD Gold-certified ink, ensuring both visual fidelity and environmental responsibility. Thanks to matching panel colour, the ARCHISONIC® Riftcut Natural Collection is now available for bespoke ceiling baffles—unlocking new possibilities for interiors that breathe with the rhythm of nature.

### Elegant Brights

12 mm

A soft and refined palette featuring Pebble, Sunlit, and Blush for a light, bright aesthetic.



Pebble  
240



Sunlit  
241




Blush  
242

### Essential Mids

12 mm

A natural mid-tone set of Malt, Honey, and Mocha, offering warmth and subtle richness.



Malt  
243



Honey  
244



Mocha  
245

### Classical Darks

12 mm

Wood-inspired dark tones that bring depth and richness, including the elegant hues of Woodsmoke, Bourbon, and Twilight.



Woodsmoke  
246



Bourbon  
247



Twilight  
248



# ARCHISONIC® *Textile*

ARCHISONIC® Textile offers even more versatility with its unique colour palette. This special fabric is made in Italy to the highest quality standards from 100% recycled PET material. With 36 colours to match the existing Felt palette, the fabric opens up a world of creative combinations and expression.

918 Deep Sea



# Textile

Article no.	Product type	Colour	Dimension	Weight
815.10.28.102.00	100% Trevira CS ECO (rPET)	102 Shell Pink	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.103.00	100% Trevira CS ECO (rPET)	103 Cloud	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.105.00	100% Trevira CS ECO (rPET)	105 Warm Stone	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.107.00	100% Trevira CS ECO (rPET)	107 Linen	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.108.00	100% Trevira CS ECO (rPET)	108 Ground	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.139.00	100% Trevira CS ECO (rPET)	139 Honeycomb	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.140.00	100% Trevira CS ECO (rPET)	140 Hot Pink	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.144.00	100% Trevira CS ECO (rPET)	144 Gull	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.160.00	100% Trevira CS ECO (rPET)	160 Lichen	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.180.00	100% Trevira CS ECO (rPET)	180 Fern	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.194.00	100% Trevira CS ECO (rPET)	194 True Navy	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.239.00	100% Trevira CS ECO (rPET)	239 Terracotta	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.304.00	100% Trevira CS ECO (rPET)	304 Ice Blue	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.311.00	100% Trevira CS ECO (rPET)	311 Nordic Pine	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.317.00	100% Trevira CS ECO (rPET)	317 Grove	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.404.00	100% Trevira CS ECO (rPET)	404 Milk	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.410.00	100% Trevira CS ECO (rPET)	410 Winter Sky	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.432.00	100% Trevira CS ECO (rPET)	432 Pacific Ocean	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.439.00	100% Trevira CS ECO (rPET)	439 Moss	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.442.00	100% Trevira CS ECO (rPET)	442 Smoke	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.444.00	100% Trevira CS ECO (rPET)	444 Slate	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.464.00	100% Trevira CS ECO (rPET)	464 Electric Orange	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.500.00	100% Trevira CS ECO (rPET)	500 Snow White	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.516.00	100% Trevira CS ECO (rPET)	516 Soft Coral	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.540.00	100% Trevira CS ECO (rPET)	540 Grape	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.542.00	100% Trevira CS ECO (rPET)	542 Charcoal	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.550.00	100% Trevira CS ECO (rPET)	550 Raven	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.662.00	100% Trevira CS ECO (rPET)	662 Poster Red	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.706.00	100% Trevira CS ECO (rPET)	706 Spearmint	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.712.00	100% Trevira CS ECO (rPET)	712 Succulent	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.724.00	100% Trevira CS ECO (rPET)	724 Garnet	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.810.00	100% Trevira CS ECO (rPET)	810 Midnight	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.846.00	100% Trevira CS ECO (rPET)	846 Sunshine	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.864.00	100% Trevira CS ECO (rPET)	864 Marine Blue	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.918.00	100% Trevira CS ECO (rPET)	918 Deep Sea	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>
815.10.28.920.00	100% Trevira CS ECO (rPET)	920 Jute	2800mm / 110" / 3.06 yard (+/- 2%)	325g/m <sup>2</sup>

# ARCHISONIC®

## Weight

**325 (g/m<sup>2</sup>)** (+/- 5%)  
EN 12127

## Width

**280cm / 110"** (+/- 2%)

## Light fastness (blue scale)

**6** (5 to 8)  
ISO 105-B02 (Xenotest)

## Fastness to rubbing (grey scale)

**4/5** (4 to 5)  
ISO 105-X12 (Crockmeter)

## Pilling (2000 rubs)

**5** (4 to 5)  
ISO 12945-2

## Composition

**100% Polyester Trevira CS ECO (rPET)**

Slight colour differences between one lot and another have to be considered within commercial tolerance.

## Flammability

Can meet  
**UNI 9174 - 8456 Class C1**  
**DIN 4102 Class B1**  
**NF 92501-7 Class M1**  
**EN 13773 Class 1**  
**USA NFPA 701**  
**EN 13501-1**

Will also pass other flammability standards. Flame retardant performance is dependent upon the foam used

## Care instructions



## Sustainability



# ARCHISONIC®

## Quiet Neutrals

In an ever-connected increasingly urban age, we are all at times in search of a moment of silence. With this in mind, we look to the quieter elements of nature as inspiration for a series of calming and balanced neutrals.




## Warm Naturals

While there is much to be hopeful about, we find ourselves living in a time of uncertainty. To counter these feelings of anxiety, we are drawn to environments that reassure and hold us in a virtual hug.



## Living Greens

Environmental awareness and a deepening appreciation of biophilia drives a desire for ever more greenspaces.



## Elemental Blues


We had to pay tribute to our blue planet with a collection of sea- and sky-inspired hues. As our air and water quality are increasingly under threat, the appeal of nature's blues becomes stronger.




# ARCHISONIC®

## Soothing Pastels


This directional colour collection is curated from our core palettes of Elemental Blues, Living Greens and Warm Naturals. Combined with shades from the Quiet Neutrals collection and natural materials, these colours take on a timeless quality.



Shell Pink  
102



Soft Coral  
516



Ice Blue  
304



Winter Sky  
410



Spearmint  
706



Succulent  
712

## Elegant Darks

While colour can create a mood, it is the depth or lightness of a hue that truly defines the emotion.



Garnet  
724



Marine Blue  
864



Midnight  
810




Nordic Pine  
311




Raven  
550

## Energetic Brights

Here to make an impact, our boldest, clearest hues are collected in a story of optimism and energy. As a counterbalance to enduring trends for tone-on-tone layers of colours, there is also the welcome return of clear and saturated brights.



Pacific Ocean  
432



Moss  
439



Sunshine  
846



Electric Orange  
464




Hot Pink  
140



Grape  
540

## Primary Play

The Bauhaus centenary has reawakened designers' interest in primary colours and the fundamental building blocks of colour are here in this nuanced red, blue and yellow.




Snow White  
500



Charcoal  
542



Sunshine  
846



Poster Red  
662




Marine Blue  
864

# ARCHISONIC® *Cotton*

ARCHISONIC® Cotton is a circular solution-made in Italy from renewable materials. The sound absorbers can be 100% returned to the production process and are therefore fully recyclable. Available in 24 natural colours, the material not only absorbs sound but also adds a natural aesthetic to any room.



# ARCHISONIC® Cotton Terra



Augmented Reality



Terra

Article no.	Product type	Dimension	Information
938.12.24.000.00	ARCHISONIC® Cotton Terra Longitude	600 x 300 x 24mm (+/- 10%)	Box of 14 tiles, unicolour
938.13.24.000.00	ARCHISONIC® Cotton Terra Latitude	600 x 300 x 24mm (+/- 10%)	Box of 14 tiles, unicolour
938.14.24.000.00	ARCHISONIC® Cotton Terra Diagonal	600 x 300 x 24mm (+/- 10%)	Box of 14 tiles, unicolour


Available in 24 ARCHISONIC® Cotton colours.



LONGITUDE

LATITUDE

DIAGONAL




# ARCHISONIC® Cotton Mosaic



Article no.	Product type	Dimension	Information
938.10.24.000.00	ARCHISONIC® Cotton Mosaic Refined	100 x 100x 24mm	Box of 100 tiles., unicolour
938.11.24.000.00	ARCHISONIC® Cotton Mosaic Soft	100 x 100x 24mm	Box of 100 tiles., unicolour

Available in 24 ARCHISONIC® Cotton colours.



**ARCHISONIC® Cotton**  
**Tofu**  
*by Cecilie Manz*



Article no.	Product type	Dimension	Information
938.15.24.000.00	ARCHISONIC® Cotton Tofu	300 x 300x 24mm	Box of 28 tiles, unicolour

*Available in 5 special Tofu colours.*

**Tofu**



# ARCHISONIC®

## Neutrals

24 mm

Neither warm nor cool, this group features three tones of Shadow. Designer White, as the cleanest white available is an essential standalone colour.



Shadow  
20



Shadow  
30



Shadow  
50




Designer White  
00

## Warm Neutrals

24 mm

A timeless and classic warm neutral scale represented by three tones of Flax.



Flax  
10



Flax  
30



Flax  
50


## Yellows+Oranges

24 mm

A duo tone of Wheat and three tones of Almond create a small group of yellows and oranges.



Almond  
20



Almond  
30



Almond  
40



Wheat  
30



Wheat  
50


## Reds+Pinks+Purples

24 mm

Featuring a duo tone of Rose and a duo tone of the shaded red, Pigeon.




Rose  
20



Rose  
50



Pigeon  
20



Pigeon  
30

# ARCHISONIC®

## Blues

24 mm

A classic, easy blue scale represented by three tones of Denim.



Denim  
10



Denim  
30



Denim  
40

## Tofu

24 mm

Carefully crafted by Cecilie Manz to best complement a unique character ARCHISONIC® Cotton material. Each natural tone was methodically selected to provide best visual appearance on a specially designed haptic tile surface texture.



Flax  
10



Putty White  
249



Paper Gray  
250



Greenish  
251




Clay  
252

## Greens

24 mm

A duo tone of the fresher Aloe and three tones of the more shaded Sage create a commercial group of greens.



Sage  
10



Sage  
30



Sage  
50



Aloe  
30




Aloe  
50

# ARCHISONIC®

## Dimensions Tiles

600 x 300 x 24mm  
23.6" x 11.8" x 0.9"

(+/-10%)



EN 15102: 2007 + A1: 2011  
0497

## Density

250 kg/m<sup>3</sup>  
15.6 lbs/ft<sup>3</sup>

(+/-10%)

## Weight

6 kg/m<sup>2</sup>  
142 lbs/ft<sup>2</sup>

(+/-10%)

## Composition

73% cotton cellulose, 26% mineral components (micronized kaolin, colouring earths, fireproof salts), <1% acrylic resin

## Fire rating

**B-s1, d0**  
EN ISO 13823:2010

**Class 1**

## VOC emission

**A+**  
UNI EN ISO 16000-9: 2006 + ISO 16000-6: 2011

## Care instructions

Gently clean with a vacuum cleaner or a dry cloth. Do not use water, soap or liquid detergents.


# ARCHISONIC®

## Acoustic Technical Specifications

### ARCHISONIC® Cotton 24mm

Frequency (Hz)	125	250	500	1000	2000	4000
ARCHISONIC® Cotton 24mm	0.15	0.45	0.55	0.55	0.65	0.75

Sound Absorption Coefficient ( $\alpha_s$ ) according to EN ISO 354  
Hochschule Luzern - Prüfstelle Gebäudetechnik



● ARCHISONIC® Cotton 24mm


The graph represents the sound absorption coefficients ( $\alpha_s$ ) in the third octave band center frequencies. Measurement used Pink Noise as excitation signal in a reverberant room

# ARCHISONIC® *Mycelium*

Born from the quiet intelligence of fungi, Mycelium redefines the relationship between sound, sustainability, and space. Each tile is cultivated, not made: Grown in Switzerland from reclaimed agricultural resources and nurtured into a form that embodies circularity from its very first breath.



# ARCHISONIC® Mycelium Wall Tile



Mycelium

Article no.	Product type	Dimension	Information
421.00.10.253.00	ARCHISONIC® Mycelium Wall Tile	300 x 300x 24mm	Box of 4 tiles




# ARCHISONIC®

## Acoustic Technical Specifications

### ARCHISONIC® Mycelium

Frequency (Hz)	125	250	500	1000	2000	4000
ARCHISONIC® Mycelium	0.25	0.40	0.45	0.45	0.50	0.75



● ARCHISONIC® Mycelium  
The graph represents the sound absorption coefficients (  $\alpha$  ) in the third octave band center frequencies. Measurement used Pink Noise as excitation signal in a reverberant room

*#We  
Make An  
Impact*