

Introduction	4-5
Square	6-7
Circle	8-9
Half Circle	10-11
Rectangle	12-17
Rectangle Divide	18-25
Rectangle Triple	26-29
Rectangle Quad	30-31
Loop	32-35
Loop Divide	36-37
Half Loop	38-43
Endless Possibilities	44-45
Accessorie	46-47



- www.erascreens.com - 3



The workplace and the way we work are constantly evolving. We are continually required to create new spaces within existing environments with an increasing demand on flexibility. To meet this demand Quiet Space (Q.S.) was conceived. Originally designed to provide a unique, flexible office pod experience.

The **flexible** nature of the manufacturing allows almost any shape or size to be created, leaving few limitations to the product, only your imagination. This **flexibility** is embedded within the product in all forms including height, width and depth (all of which can be specified to any mm increment), panel finish, footprint and AV integration, all of which can be tailored to your exact requirements. All pods are supplied with integrated sliding doors and ceilings are fitted with LED lighting operated with a PIR.

Q.S. utilises a post and crossrail framework and is tested with a 29dB sound insulation rating, ensuring that privacy is maintained where specified. Q.S. panels are incredibly **flexible** and can be finished with many materials including fabrics, glazing and whiteboards. They are individually tested and certified to BSEN1023 parts 1, 2 and 3. Furthermore, Q.S. is not fixed to walls, floors or ceilings and is a clean build. The pods are quick and easy to install with most models being suitable for a two person build in less than 5 hours. This **flexibility** gives the user future-proofing as the product can be extended, contracted or relocated.

The **flexibility** within Q.S. allows inviting areas to be created which can be specially designed to work in conjunction with existing office furniture and structures, resulting in employees having access to their optimal environment for working; a truly agile solution. To stimulate your imagination we have produced 72 standard options. These options are a starting point, as flexibility is paramount, please specify them as they are or show us what you would like to have instead.

> Warranty - Q.S. provides a 5 year guarantee against defects providing that the product has only been subjected to normal wear and tear and has not been misused or abused. Fabrics are excluded, please see manufacturer for their



Flexibility - Q.S. can be manufactured to any shape or size allowing you full adaptability. The options shown here are examples of what can be



Sound Absorbing - Q.S. pods are tested and rated at 29dB noise reduction based on half the panels being fabric and half glazed. Certificate No. 22348 T01.




Power - Q.S. panels can be fitted with a range of power and charge solutions to enhance working areas. All cabling is hidden within the product and terminates at floor level.



Magnetic - Q.S. can be manufactured with several different magnetic panel finishes, including magnetic wipe board and magnetic glass creating added value within the product.











H: 2200mm/2400mm W: 2000mm D: 2000mm

Suitable for 1 person Footprint= 4m² Table shown 1700mm x 800mm



Q2.5/2.5SQ (2) (1)



H: 2200mm/2400mm W: 2500mm D: 2500mm

Suitable for 3 people Footprint= 6.25m² Table shown Ø800mm







H: 2200mm/2400mm W: 3000mm D: 3000mm

Suitable for 4 people Footprint= 9m² Table shown Ø1000




Q3.5/3.5SQ (1)



H: 2200mm/2400mm W: 3500mm D: 3500mm

Suitable for 4 people Footprint= 12.25m² Table shown Ø1200







H: 2200mm/2400mm Ø: 3000m

Suitable for 4 people Footprint= 7m² Table shown Ø1000



Q3CW

H: 2200mm/2400mm Ø: 3000m

Suitable for 4 people Footprint= 7m² Table shown Ø600



Q3.5CI (1)



H: 2200mm/2400mm Ø: 3500m

Suitable for 4 people Footprint= 9.62m² Table shown Ø1200





Q3НСС (4)



H: 2200mm/2400mm W: 3000mm D: 1500mm

Suitable for 2 people Footprint= 3.5m² Table shown Ø600



Q3.5HCC



H: 2200mm/2400mm W: 3500mm D: 1500mm

Suitable for 2 people Footprint= 4.81m² Table shown Ø800



Q3HCS (1)



H: 2200mm/2400mm W: 3000mm D: 1500mm

Suitable for 2 people Footprint= 3.5m² Table shown Ø600



Q3.5HCS



H: 2200mm/2400mm W: 3500mm D: 1500mm

Suitable for 2 people Footprint= 4.81m² Table shown Ø800





H: 2200mm/2400mm W: 3000mm D: 1500mm

Suitable for 2 people Footprint= 3.5m² Table shown Ø600



Q3.5HCO (3)



H: 2200mm/2400mm W: 3500mm D: 1500mm

Suitable for 2 people Footprint= 4.81m² Table shown Ø800









H: 2200mm/2400mm W: 1500mm D: 2000mm

Suitable for 1 person Footprint= 3m² Table shown 1200mm x 800mm



Q2/2.5RE



H: 2200mm/2400mm W: 2000mm D: 2500mm

Suitable for 2 people Footprint= 5m² Table shown Ø600mm



Q2/3RE





H: 2200mm/2400mm W: 2000mm D: 3000mm

Suitable for 2 people Footprint= 6m² Table shown Ø800mm




Q2/3.5RE



H: 2200mm/2400mm W: 2000mm D: 3500mm

Suitable for 2 people Footprint= 7m² Table shown 1700mm x 1000mm







H: 2200mm/2400mm W: 2500mm D: 3000mm

Suitable for 3 people Footprint= 7.5m² Table shown Ø800mm



Q2.5/4RE



H: 2200mm/2400mm W: 2500mm D: 4000mm

Suitable for 3 people Footprint= 10m² Table shown Ø1000



Q3/3.5RE



H: 2200mm/2400mm W: 3000mm D: 3500mm

Suitable for 4 people Footprint= 10.5m² Table shown 1200mm x 1800mm





Q3/4RE



H: 2200mm/2400mm W: 3000mm D: 4000mm

Suitable for 5 people Footprint= 12m² Table shown 1200mm x 1800mm









H: 2200mm/2400mm W: 3000mm D: 4500mm

Suitable for 5 people Footprint= 13.5m² Table shown 1200mm x 2100mm



Q3/5.5RE



H: 2200mm/2400mm W: 3000mm D: 5500mm

Suitable for 6 people Footprint= 16.5m² Table shown 1200mm x 2700mm



Q3/5RE (E)





Suitable for 6 people Footprint= 15m² Table shown 1200mm x 2100mm



Q3/6RE





Suitable for 6 people Footprint= 18m² Table shown 1200mm x 3000mm











H: 2200mm/2400mm W: 4000mm D: 2000mm

Suitable for 2 people Footprint= 8m² Table shown 1740mm x 790mm



Q4.5/2RD



H: 2200mm/2400mm W: 4500mm D: 2000mm

Suitable for 4 people Footprint= 9m² Table shown Ø600mm







H: 2200mm/2400mm W: 5000mm D: 2000mm

Suitable for 4 people Footprint= 10m² Table shown Ø600mm



Q5.5/2RD



H: 2200mm/2400mm W: 5500mm D: 2000mm

Suitable for 4 people Footprint= 11m² Table shown Ø600mm




Q6/2RD



H: 2200mm/2400mm W: 6000mm D: 2000mm

Suitable for 4 people Footprint= 12m² Table shown Ø800mm





Q4/2.5RD



H: 2200mm/2400mm W: 4000mm D: 2500mm

Suitable for 4 people Footprint= 10m² Table shown Ø600mm



Q4.5/2.5RD



H: 2200mm/2400mm W: 4500mm D: 2500mm

Suitable for 4 people Footprint= 11.25m² Table shown Ø600mm



Q5/2.5RD



H: 2200mm/2400mm W: 5000mm D: 2500mm

Suitable for 6 people Footprint= 12.5m² Table shown Ø800mm



Q5.5/2.5RD



H: 2200mm/2400mm W: 5500mm D: 2500mm

Suitable for 6 people Footprint= 13.75m² Table shown Ø800mm




Q6/2.5RD




H: 2200mm/2400mm W: 6000mm D: 2500mm

Suitable for 6 people Footprint= 15m² Table shown Ø1000mm



Q.S. can be manufactured to your specific needs, call us with your requirements - 01264 341400







H: 2200mm/2400mm W: 4000mm D: 3000mm

Suitable for 4 people Footprint= 12m² Table shown Ø800mm



Q4.5/3RD



H: 2200mm/2400mm W: 4500mm D: 3000mm

Suitable for 4 people Footprint= 13.5m² Table shown Ø800mm







H: 2200mm/2400mm W: 5000mm D: 3000mm

Suitable for 6 people Footprint= 15m² Table shown Ø800mm



Q5.5/3RD



H: 2200mm/2400mm W: 5500mm D: 3000mm

Suitable for 6 people Footprint= 16.5m² Table shown Ø800mm



Q6/3RD




H: 2200mm/2400mm W: 6000mm D: 3000mm

Suitable for 8 people Footprint= 18m² Table shown Ø1000mm



Q.S. can be manufactured to your specific needs, call us with your requirements - 01264 341400







H: 2200mm/2400mm W: 4000mm D: 3500mm

Suitable for 4 people Footprint= 14m² Table shown Ø800mm



Q4.5/3.5RD



H: 2200mm/2400mm W: 4500mm D: 3500mm

Suitable for 4 people Footprint= 15.75m² Table shown Ø800mm



Q5/3.5RD



H: 2200mm/2400mm W: 5000mm D: 3500mm

Suitable for 6 people Footprint= 17.5m² Table shown Ø1000mm



Q5.5/3.5RD



H: 2200mm/2400mm W: 5500mm D: 3500mm

Suitable for 6 people Footprint= 19.25m² Table shown Ø1000mm




Q6/3.5RD



H: 2200mm/2400mm W: 6000mm D: 3500mm

Suitable for 8 people Footprint= 21m² Table shown 1200mm x 1800mm





Q7/2.5RT





H: 2200mm/2400mm W: 7000mm D: 2500mm

Suitable for 6 people Footprint= 17.5m² Table shown Ø600mm



Q8/2.5RT





H: 2200mm/2400mm W: 8000mm D: 2500mm

Suitable for 9 people Footprint= 20m² Table shown Ø800mm



Q9/2.5RT (1)






H: 2200mm/2400mm W: 9000mm D: 2500mm

Suitable for 9 people Footprint= 22.5m² Table shown Ø1000mm





Q7/3RT





H: 2200mm/2400mm W: 7000mm D: 3000mm

Suitable for 6 people Footprint= 21m² Table shown Ø800mm



Q8/3RT



H: 2200mm/2400mm W: 8000mm D: 3000mm

Suitable for 9 people Footprint= 24m² Table shown Ø800mm



Q9/3RT






H: 2200mm/2400mm W: 9000mm D: 3000mm

Suitable for 9 people Footprint= 27m²
Table shown Ø1000mm






Q4/4RQ (19)



H: 2200mm/2400mm W: 4000mm D: 4000mm

Suitable for 4 people Footprint= 16m² Table shown 1700mm x 800mm



Q5/5RQ




H: 2200mm/2400mm W: 5000mm D: 5000mm

Suitable for 12 people Footprint= 25m² Table shown Ø800mm







H: 2200mm/2400mm W: 6000mm D: 6000mm

Suitable for 16 people Footprint= 36m² Table shown Ø1000mm







H: 2200mm/2400mm W: 5000mm D: 3000mm

Suitable for 6 people Footprint= 14.5m² Table shown 1200mm x 2100mm



Q6/3LO



H: 2200mm/2400mm W: 6000mm D: 3000mm

Suitable for 6 people Footprint= 16m² Table shown 1200mm x 2400mm




Q7/3LO




H: 2200mm/2400mm W: 7000mm D: 3000mm

Suitable for 8 people Footprint= 19m²
Table shown 1400mm x 3500mm





Q.S. can be manufactured to your specific needs, call us with your requirements - 01264 341400



Q5/3.5LO (1)





H: 2200mm/2400mm W: 5000mm D: 3500mm

Suitable for 6 people Footprint= 17m² Table shown 1200mm x 2100mm



Q6/3.5LO (3)



H: 2200mm/2400mm W: 6000mm D: 3500mm

Suitable for 6 people Footprint= 18.5m² Table shown 1200mm x 2400mm




Q7/3.5LO (1)






H: 2200mm/2400mm W: 7000mm D: 3500mm

Suitable for 8 people Footprint= 22.5m² Table shown 1400mm x 3500mm



Q.S. can be manufactured to your specific needs, call us with your requirements - 01264 341400



Q5/3.5LD ②





H: 2200mm/2400mm W: 5000mm D: 3500mm

Suitable for 6 people Footprint= 17m² Table shown Ø1200mm



Q6/3.5LD ②



H: 2200mm/2400mm W: 6000mm D: 3500mm

Suitable for 8 people Footprint= 18.5m² Table shown 1200mm x 1800mm



Q7/3.5LD






H: 2200mm/2400mm W: 7000mm D: 3500mm

Suitable for 8 people Footprint= 22.5m² Table shown 1200mm x 1800mm









H: 2200mm/2400mm W: 2500mm D: 3000mm

Suitable for 3 people Footprint= 6.5m² Table shown Ø800mm



Q3/3HL (1)





H: 2200mm/2400mm W: 3000mm D: 3000mm

Suitable for 4 people Footprint= 8m² Table shown Ø1000mm




Q4/3HL (E) (E)






H: 2200mm/2400mm W: 4000mm D: 3000mm

Suitable for 5 people Footprint= 11m² Table shown 1200mm x 1800mm











H: 2200mm/2400mm W: 5000mm D: 3000mm

Suitable for 6 people Footprint= 14m²
Table shown 1000mm x 2200mm



Q6/3HL (3) (ii)





H: 2200mm/2400mm W: 6000mm D: 3000mm

Suitable for 6 people Footprint= 17m² Table shown 1000mm x 2200mm









H: 2200mm/2400mm W: 7000mm D: 3000mm

Suitable for 8 people Footprint= 20m² Table shown 1200mm x 3300mm













H: 2200mm/2400mm W: 5000mm D: 3500mm

Suitable for 6 people Footprint= 16.5m² Table shown 1000mm x 2200mm




Q6/3.5HL (2)



H: 2200mm/2400mm W: 6000mm D: 3500mm

Suitable for 6 people Footprint= 20m² Table shown 1000mm x 2200mm




Q7/3.5HL (1)





H: 2200mm/2400mm W: 7000mm D: 3500mm

Suitable for 8 people Footprint= 23.5m² Table shown 1200mm x 3300mm








POWER POST - STANDARD

Sockets provided are OE Puma in light grey supplied in either 2 or 3 gang configurations with a variety of options available including power, USB charge, data and HDMI. All cabling is hidden within the post and terminates at floor or ceiling.



TOP SHROUD

Supplied on all pods to partially conceal the down lighters, air circulation and associated wiring. They are 120mm high and manufactured from Perspex in a white frosted finish (code: S2000).



TOOL RAILS

Available for panels allowing accessories including paper trays and pen pots to be used.



POWER POST - ENHANCED

Sockets provided are Burland MEB-K supplied in 2 gang configurations with a variety of options available including power, USB charge, data and HDMI. All cabling is hidden within the post and terminates at floor or ceiling.



LIGHTING

Lighting consists of 12 volt LED lamps fitted in down lighters. They are controlled by a passive infra-red sensor (PIR) and powered by a flexible mains lead extending from one of the posts.



FLOOR TRACK

Supplied on all pods to ensure smooth operation of the sliding doors. The track is attached to the framework on either side of the door but is not attached to the floor, retaining the free standing nature of the pod.



SLOW CLOSE

Available for sliding doors providing automated closure function. Not available on curved pods.



INTERLAY

This is a loose-lay underfloor system of tiles provided by Interface that can be used to absorb sound.



AIR CIRCULATION

An air circulation unit blows air into the pod at a maximum of 230m³ per hour and is operated when the lighting is illuminated.



MAGNETIC WRITABLE GLASS

Available in a variety of colours allowing magnets to be used on dry wipe writable glass.



MONITOR MOUNTS

Available to hold monitors or TVs. Always fitted to a single or double power post. Able to hold monitors up to 60 inches wide.



MANIFESTATIONS

They are available in spots/stripes or as bespoke logos and artwork. Usually supplied in opal frosted vinyl, alternative colours and styles are available.

